





# PARTS CATALOG




3100 ELITE SERIES
SURGICAL TABLES








7. Brake Systems, S.N.3100-1989-11-273&P . . . . . Page 26





### INTRODUCTION

This section contains the exploded views andreplacementpartslistsfor the serviceable components of the SKYTRON Model 3100 surgical table.


Each serviceable part in these exploded views is identified byareference number. Use this number to locate necessary part information in the parts list adjacent to the exploded view.

Always use the complete SKYTRON part number, description and Serial Number whenordering replacementparts.


#### 

## TABLE OF CONTENTS


| Figure                                   | Page |
|--|------|
| Top & Side Frame Assemblies              | 2    |
| 2. Side Frame & Cassette Tray Assemblies | 6    |
| 3. Support Column Assembly               |      |
| 4. Lateral Tilt & Side Frame Assembly    | 14   |
| 5. Electrical Components                 |      |
| 6. Hydraulic Valves & Fittings           | 22   |
| 7. Brake Systems, S.N.3100-1989-11-273&P | 26   |
| 8. Base & Power Switch                   | 28   |
| 9. Special Tools & Maintenance Items     |      |




| 1-010-12-P  | Item | Part No.    | Description                               | Qty. |
|---|------|-------------|---|------|
| 2   |      | 1-010-12-P  | PAD, set, 2"                              | opt  |
| 3   D3-060-05   TOP, foot/leg section   1   | 1    | 1-010-12-8P | PAD, back/seat section 2"                 | opt  |
| 1   | 2    | 1-010-12-4P | PAD, foot/leg section 2"                  | opt  |
| D3-080-04-1   TOP, seat section, S.N.3100-1987-6-1288P   1  | 3    | D3-060-05   | TOP, foot/leg section                     | 1    |
| 5         D3-060-02   | 4    | D3-060-04-2 | TOP, seat section, S.N.3100-1987-6-129&L  | 1    |
| D3-060-02   TOP, back section, S.N.3100-1987-6-128&P   2  |      | D3-060-04-1 | TOP, seat section, S.N.3100-1987-6-128&P  | 1    |
| 6         D3-060-03-2         TOP, kidney bridge, S.N.3100-1987-6-1298L         1           7         D3-060-01-2         TOP, kidney bridge, S.N.3100-1987-6-1288P         1           7         D3-060-01-2         TOP, head section, S.N.3100-1987-6-1288P         1           D3-060-01         TOP, head section, S.N.3100-1987-6-1288P         1           D3-060-58         TOP, seat/back, 3100A         1           8         D3-010-19         SCREW, phillips head, MSx15 (plated)         A/R           9         D3-060-31         RETAINER, head section top         2           10         D6-060-39         CIRCLIP         8           11         D6-060-30         PIV, Levis 8x25         4           12         D3-060-56         PIVOT ASSEMBLY, kidney bridge         2           14         D3-060-57         HINGE ASSEMBLY, kidney bridge         2           14         D3-060-50         SIDE FRAME, foot/leg section, left         1           15         D3-060-60         SIDE FRAME, foot/leg section, right         1           16         D3-060-10         GUIDE, cassette tray         1           17         D6-010-80         SCREW, phillips head, M3x6         22           18         D3-060-11         STOP ASSEMBLY, cassette tra                      | 5    | D3-060-02-2 | TOP, back section, S.N.3100-1987-6-129&L  | 2    |
| 6         D3-060-03-2         TOP, kidney bridge, S.N.3100-1987-6-1298L         1           7         D3-060-01-2         TOP, kidney bridge, S.N.3100-1987-6-1288P         1           7         D3-060-01-2         TOP, head section, S.N.3100-1987-6-1288P         1           D3-060-01         TOP, head section, S.N.3100-1987-6-1288P         1           D3-060-58         TOP, seat/back, 3100A         1           8         D3-010-19         SCREW, phillips head, MSx15 (plated)         A/R           9         D3-060-31         RETAINER, head section top         2           10         D6-060-39         CIRCLIP         8           11         D6-060-30         PIV, Levis 8x25         4           12         D3-060-56         PIVOT ASSEMBLY, kidney bridge         2           14         D3-060-57         HINGE ASSEMBLY, kidney bridge         2           14         D3-060-50         SIDE FRAME, foot/leg section, left         1           15         D3-060-60         SIDE FRAME, foot/leg section, right         1           16         D3-060-10         GUIDE, cassette tray         1           17         D6-010-80         SCREW, phillips head, M3x6         22           18         D3-060-11         STOP ASSEMBLY, cassette tra                      |      | D3-060-02   | TOP, back section, S.N.3100-1987-6-128&P  | 2    |
| D3-060-012   TOP, kidney bridge, S.N.3100-1987-6-1288P  | 6    | D3-060-03-2 |   |      |
| D3-060-01   TOP, head section, S.N.3100-1987-6-128&P   1  |      | D3-060-03   | TOP, kidney bridge, S.N.3100-1987-6-128&P | 1    |
| D3-060-01   TOP, head section, S.N.3100-1987-6-128&P   1  | 7    | D3-060-01-2 | TOP, head section, S.N.3100-1987-6-129&L  | 1    |
| 8         D3-010-19         SCREW, phillips head, M5x15 (plated)         A/R           D6-010-58-1         SCREW, phillips head, M5x20 (plated)         A/R           9         D3-060-31         RETAINER, head section top         2           10         D6-060-39         CIRCLIP         8           11         D6-060-01         PIN, devis 8x25         4           12         D3-060-56         PIVOT ASSEMBLY         4           13         D3-060-57         HINGE ASSEMBLY, kidney bridge         2           14         D3-060-12         SIDE FRAME, foot/leg section, left         1           15         D3-060-10         GUIDE, cassette tray         1           16         D3-060-10         GUIDE, cassette tray         1           17         D6-010-80         SCREW, phillips head, M3x6         22           18         D3-060-11         STOP ASSEMBLY, cassette tray         1           19         D6-010-70-1         BOLT, allen, M5x10 (plated)         4           20         D3-060-07         SIDE RAIL, foot/leg section (left)         1           21         D6-010-12-1         SCREW, allen head M8x45 (plated)         8           22         D3-010-01         COLLAR, side rail         2 <t< td=""><td></td><td>D3-060-01</td><td></td><td></td></t<> |      | D3-060-01   |   |      |
| D6-010-58-1         SCREW, phillips head, M5x20 (plated)         A/R           9         D3-060-31         RETAINER, head section top         2           10         D6-060-39         CIRCLIP         8           11         D6-060-01         PIN, clevis 8x25         4           12         D3-060-56         PIVOT ASSEMBLY         4           13         D3-060-57         HINGE ASSEMBLY, kidney bridge         2           14         D3-060-12         SIDE FRAME, foot/leg section, left         1           15         D3-060-06         SIDE FRAME, foot/leg section, right         1           16         D3-060-10         GUIDE, cassette tray         1           17         D6-010-80         SCREW, phillips head, M3x6         22           18         D3-060-11         STOP ASSEMBLY, cassette tray         1           19         D6-010-70-1         BOLT, allen, M5x10 (plated)         4           20         D3-060-07         SIDE RAIL, foot/leg section (right)         1           1         D3-060-08         SIDE RAIL, foot/leg section (left)         1           21         D6-010-12-1         SCREW, allen head M8x45 (plated)         8           22         D3-010-01         COLLAR, side rail         22  |      | D3-060-58   | TOP, seat/back, 3100A                     | 1    |
| 9         D3-060-31         RETAINER, head section top         2           10         D6-060-39         CIRCLIP         8           11         D6-060-01         PIN, clevis 8x25         4           12         D3-060-56         PIYOT ASSEMBLY         4           13         D3-060-57         HINGE ASSEMBLY, kidney bridge         2           14         D3-060-12         SIDE FRAME, foot/leg section, left         1           15         D3-060-10         SIDE FRAME, foot/leg section, right         1           16         D3-060-10         GUIDE, cassette tray         1           17         D6-010-80         SCREW, phillips head, M3x6         22           18         D3-060-11         STOP ASSEMBLY, cassette tray         1           19         D6-010-70-1         BOLT, allen, M5x10 (plated)         4           20         D3-060-07         SIDE RAIL, foot/leg section (right)         1           21         D6-010-12-1         SCREW, allen head M8x45 (plated)         8           22         D3-010-01         COLLAR, side rail         22           23         D6-010-12-1         SCREW, allen head M8x45 (plated)         8           24         D6-010-13-1         NUT, M8 (plated)         8  | 8    | D3-010-19   | SCREW, phillips head, M5x15 (plated)      | A/R  |
| 10         D6-060-39         CIRCLIP         8           11         D6-060-01         PIN, clevis 8x25         4           12         D3-060-56         PIVOT ASSEMBLY         4           13         D3-060-57         HINGE ASSEMBLY, kidney bridge         2           14         D3-060-12         SIDE FRAME, foot/leg section, left         1           15         D3-060-06         SIDE FRAME, foot/leg section, right         1           16         D3-060-10         GUIDE, cassette tray         1           17         D6-010-80         SCREW, phillips head, M3x6         22           18         D3-060-11         STOP ASSEMBLY, cassette tray         1           19         D6-010-70-1         BOLT, allen, M5x10 (plated)         4           20         D3-060-07         SIDE RAIL, foot/leg section (right)         1           10         D3-060-08         SIDE RAIL, foot/leg section (left)         1           21         D6-010-12-1         SCREW, allen head M8x45 (plated)         8           22         D3-010-01         COLLAR, side rail         22           23         D6-010-13-1         NUT, M8 (plated)         8           24         D6-010-13-1         NUT, M8 (plated)         8   |      | D6-010-58-1 | SCREW, phillips head, M5x20 (plated)      | A/R  |
| 11       D6-060-01       PIN, clevis 8x25       4         12       D3-060-56       PIVOT ASSEMBLY, kidney bridge       2         13       D3-060-57       HINGE ASSEMBLY, kidney bridge       2         14       D3-060-12       SIDE FRAME, foot/leg section, left       1         15       D3-060-06       SIDE FRAME, foot/leg section, right       1         16       D3-060-10       GUIDE, cassette tray       1         17       D6-010-80       SCREW, phillips head, M3x6       22         18       D3-060-11       STOP ASSEMBLY, cassette tray       1         19       D6-010-70-1       BOLT, allen, M5x10 (plated)       4         20       D3-060-07       SIDE RAIL, foot/leg section (right)       1         21       D6-010-12-1       SCREW, allen head M8x45 (plated)       8         22       D3-010-01       COLLAR, side rail       22         23       D6-010-12-1       SCREW, allen head M8x45 (plated)       8         24       D6-010-13-1       NUT, M8 (plated)       8         25       D4-00-01       COLLAR, side rail       22         26       D4-060-03       NUT, M8 (plated)       8         25       D4-060-01       CYLINDER ASSEMBLY, kidney bridge<   | 9    | D3-060-31   | RETAINER, head section top                | 2    |
| 12     D3-060-56     PIVOT ASSEMBLY.     4       13     D3-060-57     HINGE ASSEMBLY, kidney bridge     2       14     D3-060-12     SIDE FRAME, foot/leg section, left     1       15     D3-060-06     SIDE FRAME, foot/leg section, right     1       16     D3-060-10     GUIDE, cassette tray.     1       17     D6-010-80     SCREW, phillips head, M3x6     22       18     D3-060-11     STOP ASSEMBLY, cassette tray     1       19     D6-010-70-1     BOLT, allen, M5x10 (plated)     4       20     D3-060-07     SIDE RAIL, foot/leg section (right)     1       21     D6-010-12-1     SCREW, allen head M8x45 (plated)     8       22     D3-010-01     COLLAR, side rail     22       23     D6-010-13-1     NUT, M8 (plated)     8       24     D6-010-13-1     NUT, M8 (plated)     8       25     D4-060-01     CYLINDER ASSEMBLY, kidney bridge     2       26     D4-060-04     *O-RING, P-15     6       28     D4-060-07     *TUBE, cylinder     2       29     D6-060-03     *NUT, hex     2       30     D6-060-03     *NUT, hex     2       31     D4-060-06     *PISTON     2       32     D4-010-19<   | 10   | D6-060-39   | CIRCLIP                                   | 8    |
| 13       D3-060-57       HINGE ASSEMBLY, kidney bridge       2         14       D3-060-12       SIDE FRAME, foot/leg section, left       1         15       D3-060-06       SIDE FRAME, foot/leg section, right       1         16       D3-060-10       GUIDE, cassette tray       1         17       D6-010-80       SCREW, phillips head, M3x6       22         18       D3-060-11       STOP ASSEMBLY, cassette tray       1         19       D6-010-70-1       BOLT, allen, M5x10 (plated)       4         20       D3-060-07       SIDE RAIL, foot/leg section (right)       1         D3-060-08       SIDE RAIL, foot/leg section (left)       1         21       D6-010-12-1       SCREW, allen head M8x45 (plated)       8         22       D3-010-01       COLLAR, side rail       22         23       D6-010-09-1       WASHER, lock, M8 (plated)       8         24       D6-010-13-1       NUT, M8 (plated)       8         25       D4-060-01       CYLINDER ASSEMBLY, kidney bridge       2         26       D4-060-08       *TAIL CASTING, cylinder       2         27       D4-060-04       *O-RING, P-15       6         28       D4-060-03       *NUT, hex       2   | 11   | D6-060-01   | PIN, clevis 8x25                          | 4    |
| 14       D3-060-12       SIDE FRAME, foot/leg section, right       1         15       D3-060-06       SIDE FRAME, foot/leg section, right       1         16       D3-060-10       GUIDE, cassette tray       1         17       D6-010-80       SCREW, phillips head, M3x6       22         18       D3-060-11       STOP ASSEMBLY, cassette tray       1         19       D6-010-70-1       BOLT, allen, M5x10 (plated)       4         20       D3-060-07       SIDE RAIL, foot/leg section (right)       1         D3-060-08       SIDE RAIL, foot/leg section (left)       1         21       D6-010-12-1       SCREW, allen head M8x45 (plated)       8         22       D3-010-01       COLLAR, side rail       22         23       D6-010-09-1       WASHER, lock, M8 (plated)       8         24       D6-010-13-1       NUT, M8 (plated)       8         24       D6-010-13-1       NUT, M8 (plated)       8         25       D4-060-01       CYLINDER ASSEMBLY, kidney bridge       2         26       D4-060-03       *TAIL CASTING, cylinder       2         27       D4-060-04       *O-RING, P-15       6         28       D4-060-07       *UBE, cylinder       2 <td>12</td> <td>D3-060-56</td> <td>PIVOT ASSEMBLY</td> <td>4</td>  | 12   | D3-060-56   | PIVOT ASSEMBLY                            | 4    |
| 15       D3-060-06       SIDE FRAME, foot/leg section, right       1         16       D3-060-10       GUIDE, cassette tray       1         17       D6-010-80       SCREW, phillips head, M3x6       22         18       D3-060-11       STOP ASSEMBLY, cassette tray       1         19       D6-010-70-1       BOLT, allen, M5x10 (plated)       4         20       D3-060-07       SIDE RAIL, foot/leg section (right)       1         D3-060-08       SIDE RAIL, foot/leg section (left)       1         21       D6-010-12-1       SCREW, allen head M8x45 (plated)       8         22       D3-010-01       COLLAR, side rail       22         23       D6-010-09-1       WASHER, lock, M8 (plated)       8         24       D6-010-13-1       NUT, M8 (plated)       8         25       D4-060-01       CYLINDER ASSEMBLY, kidney bridge       2         26       D4-060-08       *TAIL CASTING, cylinder       2         27       D4-060-04       *O-RING, P-15       6         28       D4-060-07       *TUBE, cylinder       2         29       D6-060-03       *NUT, hex       2         30       D6-060-02       *WASHER, lock       2         31   | 13   | D3-060-57   | HINGE ASSEMBLY, kidney bridge             | 2    |
| 16     D3-060-10     GUIDE, cassette tray     1       17     D6-010-80     SCREW, phillips head, M3x6     22       18     D3-060-11     STOP ASSEMBLY, cassette tray     1       19     D6-010-70-1     BOLT, allen, M5x10 (plated)     4       20     D3-060-07     SIDE RAIL, foot/leg section (right)     1       D3-060-08     SIDE RAIL, foot/leg section (left)     1       21     D6-010-12-1     SCREW, allen head M8x45 (plated)     8       22     D3-010-01     COLLAR, side rail     22       23     D6-010-09-1     WASHER, lock, M8 (plated)     8       24     D6-010-13-1     NUT, M8 (plated)     8       D6-032-34     NUT, M8 w/ lock washer     8       25     D4-060-01     CYLINDER ASSEMBLY, kidney bridge     2       26     D4-060-08     *TAIL CASTING, cylinder     2       27     D4-060-08     *TAIL CASTING, cylinder     2       29     D6-060-03     *NUT, hex     2       29     D6-060-03     *NUT, hex     2       30     D6-060-02     *WASHER, lock     2       31     D4-060-06     *PISTON     2       32     D4-010-19     *O-RING, P-6     2       33     D4-060-05     *SPACER, piston  | 14   | D3-060-12   | SIDE FRAME, foot/leg section, left        | 1    |
| 17       D6-010-80       SCREW, phillips head, M3x6       22         18       D3-060-11       STOP ASSEMBLY, cassette tray       1         19       D6-010-70-1       BOLT, allen, M5x10 (plated)       4         20       D3-060-07       SIDE RAIL, foot/leg section (right)       1         D3-060-08       SIDE RAIL, foot/leg section (left)       1         21       D6-010-12-1       SCREW, allen head M8x45 (plated)       8         22       D3-010-01       COLLAR, side rail       22         23       D6-010-09-1       WASHER, lock, M8 (plated)       8         24       D6-010-13-1       NUT, M8 (plated)       8         25       D4-060-1       CYLINDER ASSEMBLY, kidney bridge       2         26       D4-060-01       CYLINDER ASSEMBLY, kidney bridge       2         26       D4-060-08       *TAIL CASTING, cylinder       2         27       D4-060-04       *O-RING, P-15       6         28       D4-060-07       *TUBE, cylinder       2         29       D6-060-03       *NUT, hex       2         30       D6-060-02       *WASHER, lock       2         31       D4-060-06       *PISTON       2         32       D4-010-  | 15   | D3-060-06   | -   |      |
| 17       D6-010-80       SCREW, phillips head, M3x6       22         18       D3-060-11       STOP ASSEMBLY, cassette tray       1         19       D6-010-70-1       BOLT, allen, M5x10 (plated)       4         20       D3-060-07       SIDE RAIL, foot/leg section (right)       1         D3-060-08       SIDE RAIL, foot/leg section (left)       1         21       D6-010-12-1       SCREW, allen head M8x45 (plated)       8         22       D3-010-01       COLLAR, side rail       22         23       D6-010-09-1       WASHER, lock, M8 (plated)       8         24       D6-010-13-1       NUT, M8 (plated)       8         25       D4-060-1       CYLINDER ASSEMBLY, kidney bridge       2         26       D4-060-01       CYLINDER ASSEMBLY, kidney bridge       2         27       D4-060-08       *TAIL CASTING, cylinder       2         29       D6-060-03       *NUT, hex       2         29       D6-060-04       *O-RING, P-15       6         28       D4-060-05       *WASHER, lock       2         31       D4-060-06       *PISTON       2         32       D4-010-19       *O-RING, P-6       2         33       D4-060-05<  | 16   | D3-060-10   | GUIDE, cassette tray                      | 1    |
| 18       D3-060-11       STOP ASSEMBLY, cassette tray       1         19       D6-010-70-1       BOLT, allen, M5x10 (plated)       4         20       D3-060-07       SIDE RAIL, foot/leg section (right)       1         D3-060-08       SIDE RAIL, foot/leg section (left)       1         21       D6-010-12-1       SCREW, allen head M8x45 (plated)       8         22       D3-010-01       COLLAR, side rail       22         23       D6-010-09-1       WASHER, lock, M8 (plated)       8         24       D6-010-13-1       NUT, M8 (plated)       8         D6-032-34       NUT, M8 w/ lock washer       8         25       D4-060-01       CYLINDER ASSEMBLY, kidney bridge       2         26       D4-060-08       *TAIL CASTING, cylinder       2         27       D4-060-04       *O-RING, P-15       6         28       D4-060-04       *O-RING, P-15       6         28       D4-060-07       *TUBE, cylinder       2         29       D6-060-03       *NUT, hex       2         20       D6-060-02       *WASHER, lock       2         31       D4-060-06       *PISTON       2         32       D4-010-19       *O-RING, P-6   | 17   | D6-010-80   | •   |      |
| 19       D6-010-70-1       BOLT, allen, M5x10 (plated)       4         20       D3-060-07       SIDE RAIL, foot/leg section (right)       1         D3-060-08       SIDE RAIL, foot/leg section (left)       1         21       D6-010-12-1       SCREW, allen head M8x45 (plated)       8         22       D3-010-01       COLLAR, side rail       22         23       D6-010-09-1       WASHER, lock, M8 (plated)       8         24       D6-010-13-1       NUT, M8 (plated)       8         D6-032-34       NUT, M8 w/ lock washer       8         25       D4-060-01       CYLINDER ASSEMBLY, kidney bridge       2         26       D4-060-08       *TAIL CASTING, cylinder       2         27       D4-060-04       *O-RING, P-15       6         28       D4-060-04       *O-RING, P-15       6         28       D4-060-07       *TUBE, cylinder       2         29       D6-060-03       *NUT, hex       2         20       D6-060-02       *WASHER, lock       2         31       D4-060-06       *PISTON       2         32       D4-010-19       *O-RING, P-6       2         33       D4-060-05       *SPACER, piston       2  | 18   | D3-060-11   |   |      |
| 20       D3-060-07       SIDE RAIL, foot/leg section (right)       1         D3-060-08       SIDE RAIL, foot/leg section (left)       1         21       D6-010-12-1       SCREW, allen head M8x45 (plated)       8         22       D3-010-01       COLLAR, side rail       22         23       D6-010-09-1       WASHER, lock, M8 (plated)       8         24       D6-010-13-1       NUT, M8 (plated)       8         D6-032-34       NUT, M8 w/ lock washer       8         25       D4-060-01       CYLINDER ASSEMBLY, kidney bridge       2         26       D4-060-08       *TAIL CASTING, cylinder       2         27       D4-060-04       *O-RING, P-15       6         28       D4-060-07       *TUBE, cylinder       2         29       D6-060-03       *NUT, hex       2         30       D6-060-02       *WASHER, lock       2         31       D4-060-06       *PISTON       2         32       D4-010-19       *O-RING, P-6       2         33       D4-060-05       *SPACER, piston       2         34       D4-060-05       *SPACER, piston       2         35       D4-060-65       *SEAL, PS-8       2 <tr< td=""><td>19</td><td>D6-010-70-1</td><td>•</td><td></td></tr<>  | 19   | D6-010-70-1 | •   |      |
| D3-060-08         SIDE RAIL, foot/leg section (left)         1           21         D6-010-12-1         SCREW, allen head M8x45 (plated)         8           22         D3-010-01         COLLAR, side rail         22           23         D6-010-09-1         WASHER, lock, M8 (plated)         8           24         D6-010-13-1         NUT, M8 (plated)         8           D6-032-34         NUT, M8 w/ lock washer         8           25         D4-060-01         CYLINDER ASSEMBLY, kidney bridge         2           26         D4-060-08         *TAIL CASTING, cylinder         2           27         D4-060-04         *O-RING, P-15         6           28         D4-060-07         *TUBE, cylinder         2           29         D6-060-03         *NUT, hex         2           30         D6-060-02         *WASHER, lock         2           31         D4-060-06         *PISTON         2           32         D4-010-19         *O-RING, P-6         2           33         D4-060-05         *SPACER, piston         2           34         D4-060-05         *SPACER, cylinder         2           35         D4-060-65         *SEAL, PS-8         2   | 20   | D3-060-07   |   |      |
| 21       D6-010-12-1       SCREW, allen head M8x45 (plated)       8         22       D3-010-01       COLLAR, side rail       22         23       D6-010-09-1       WASHER, lock, M8 (plated)       8         24       D6-010-13-1       NUT, M8 (plated)       8         D6-032-34       NUT, M8 w/ lock washer       8         25       D4-060-01       CYLINDER ASSEMBLY, kidney bridge       2         26       D4-060-08       *TAIL CASTING, cylinder       2         27       D4-060-04       *O-RING, P-15       6         28       D4-060-07       *TUBE, cylinder       2         29       D6-060-03       *NUT, hex       2         30       D6-060-02       *WASHER, lock       2         31       D4-060-06       *PISTON       2         32       D4-010-19       *O-RING, P-6       2         33       D4-060-05       *SPACER, piston       2         34       D4-060-03       *END CAP, cylinder       2         35       D4-060-65       *SEAL, PS-8       2         36       D4-010-02       *O-RING, P-14       2         37       D4-060-02       *GUIDE, cylinder rod       2  |      | D3-060-08   |   |      |
| 23       D6-010-09-1       WASHER, lock, M8 (plated)       8         24       D6-010-13-1       NUT, M8 (plated)       8         D6-032-34       NUT, M8 w/ lock washer       8         25       D4-060-01       CYLINDER ASSEMBLY, kidney bridge       2         26       D4-060-08       *TAIL CASTING, cylinder       2         27       D4-060-04       *O-RING, P-15       6         28       D4-060-07       *TUBE, cylinder       2         29       D6-060-03       *NUT, hex       2         30       D6-060-02       *WASHER, lock       2         31       D4-060-06       *PISTON       2         32       D4-010-19       *O-RING, P-6       2         33       D4-060-05       *SPACER, piston       2         34       D4-060-03       *END CAP, cylinder       2         35       D4-060-65       *SEAL, PS-8       2         36       D4-010-02       *O-RING, P-14       2         37       D4-060-02       *GUIDE, cylinder rod       2  | 21   | D6-010-12-1 |   |      |
| 23       D6-010-09-1       WASHER, lock, M8 (plated)       8         24       D6-010-13-1       NUT, M8 (plated)       8         D6-032-34       NUT, M8 w/ lock washer       8         25       D4-060-01       CYLINDER ASSEMBLY, kidney bridge       2         26       D4-060-08       *TAIL CASTING, cylinder       2         27       D4-060-04       *O-RING, P-15       6         28       D4-060-07       *TUBE, cylinder       2         29       D6-060-03       *NUT, hex       2         30       D6-060-02       *WASHER, lock       2         31       D4-060-06       *PISTON       2         32       D4-010-19       *O-RING, P-6       2         33       D4-060-05       *SPACER, piston       2         34       D4-060-03       *END CAP, cylinder       2         35       D4-060-65       *SEAL, PS-8       2         36       D4-010-02       *O-RING, P-14       2         37       D4-060-02       *GUIDE, cylinder rod       2  | 22   | D3-010-01   | COLLAR, side rail                         | 22   |
| 24       D6-010-13-1       NUT, M8 (plated)       8         D6-032-34       NUT, M8 w/ lock washer       8         25       D4-060-01       CYLINDER ASSEMBLY, kidney bridge       2         26       D4-060-08       •TAIL CASTING, cylinder       2         27       D4-060-04       •O-RING, P-15       6         28       D4-060-07       •TUBE, cylinder       2         29       D6-060-03       •NUT, hex       2         30       D6-060-02       •WASHER, lock       2         31       D4-060-06       •PISTON       2         32       D4-010-19       •O-RING, P-6       2         33       D4-060-05       •SPACER, piston       2         34       D4-060-03       •END CAP, cylinder       2         35       D4-060-65       •SEAL, PS-8       2         36       D4-010-02       •O-RING, P-14       2         37       D4-060-02       •GUIDE, cylinder rod       2   | 23   | D6-010-09-1 |   |      |
| D6-032-34       NUT, M8 w/ lock washer       8         25       D4-060-01       CYLINDER ASSEMBLY, kidney bridge       2         26       D4-060-08       •TAIL CASTING, cylinder       2         27       D4-060-04       •O-RING, P-15       6         28       D4-060-07       •TUBE, cylinder       2         29       D6-060-03       •NUT, hex       2         30       D6-060-02       •WASHER, lock       2         31       D4-060-06       •PISTON       2         32       D4-010-19       •O-RING, P-6       2         33       D4-060-05       •SPACER, piston       2         34       D4-060-03       •END CAP, cylinder       2         35       D4-060-65       •SEAL, PS-8       2         36       D4-010-02       •O-RING, P-14       2         37       D4-060-02       •GUIDE, cylinder rod       2   | 24   | D6-010-13-1 |   |      |
| 26       D4-060-08       •TAIL CASTING, cylinder       2         27       D4-060-04       •O-RING, P-15       6         28       D4-060-07       •TUBE, cylinder       2         29       D6-060-03       •NUT, hex       2         30       D6-060-02       •WASHER, lock       2         31       D4-060-06       •PISTON       2         32       D4-010-19       •O-RING, P-6       2         33       D4-060-05       •SPACER, piston       2         34       D4-060-03       •END CAP, cylinder       2         35       D4-060-65       •SEAL, PS-8       2         36       D4-010-02       •O-RING, P-14       2         37       D4-060-02       •GUIDE, cylinder rod       2  |      | D6-032-34   | NUT, M8 w/ lock washer                    | 8    |
| 26       D4-060-08       •TAIL CASTING, cylinder       2         27       D4-060-04       •O-RING, P-15       6         28       D4-060-07       •TUBE, cylinder       2         29       D6-060-03       •NUT, hex       2         30       D6-060-02       •WASHER, lock       2         31       D4-060-06       •PISTON       2         32       D4-010-19       •O-RING, P-6       2         33       D4-060-05       •SPACER, piston       2         34       D4-060-03       •END CAP, cylinder       2         35       D4-060-65       •SEAL, PS-8       2         36       D4-010-02       •O-RING, P-14       2         37       D4-060-02       •GUIDE, cylinder rod       2  | 25   | D4-060-01   | CYLINDER ASSEMBLY, kidney bridge          | 2    |
| 27       D4-060-04       •O-RING, P-15       6         28       D4-060-07       •TUBE, cylinder       2         29       D6-060-03       •NUT, hex       2         30       D6-060-02       •WASHER, lock       2         31       D4-060-06       •PISTON       2         32       D4-010-19       •O-RING, P-6       2         33       D4-060-05       •SPACER, piston       2         34       D4-060-03       •END CAP, cylinder       2         35       D4-060-65       •SEAL, PS-8       2         36       D4-010-02       •O-RING, P-14       2         37       D4-060-02       •GUIDE, cylinder rod       2   | 26   | D4-060-08   | · · · · ·                                 |      |
| 28       D4-060-07       •TUBE, cylinder       2         29       D6-060-03       •NUT, hex       2         30       D6-060-02       •WASHER, lock       2         31       D4-060-06       •PISTON       2         32       D4-010-19       •O-RING, P-6       2         33       D4-060-05       •SPACER, piston       2         34       D4-060-03       •END CAP, cylinder       2         35       D4-060-65       •SEAL, PS-8       2         36       D4-010-02       •O-RING, P-14       2         37       D4-060-02       •GUIDE, cylinder rod       2  | 27   | D4-060-04   | •   |      |
| 29       D6-060-03       •NUT, hex       2         30       D6-060-02       •WASHER, lock       2         31       D4-060-06       •PISTON       2         32       D4-010-19       •O-RING, P-6       2         33       D4-060-05       •SPACER, piston       2         34       D4-060-03       •END CAP, cylinder       2         35       D4-060-65       •SEAL, PS-8       2         36       D4-010-02       •O-RING, P-14       2         37       D4-060-02       •GUIDE, cylinder rod       2   | 28   | D4-060-07   |   |      |
| 30       D6-060-02       •WASHER, lock       2         31       D4-060-06       •PISTON       2         32       D4-010-19       •O-RING, P-6       2         33       D4-060-05       •SPACER, piston       2         34       D4-060-03       •END CAP, cylinder       2         35       D4-060-65       •SEAL, PS-8       2         36       D4-010-02       •O-RING, P-14       2         37       D4-060-02       •GUIDE, cylinder rod       2  | 29   | D6-060-03   | • •                                       |      |
| 31       D4-060-06       •PISTON       2         32       D4-010-19       •O-RING, P-6       2         33       D4-060-05       •SPACER, piston       2         34       D4-060-03       •END CAP, cylinder       2         35       D4-060-65       •SEAL, PS-8       2         36       D4-010-02       •O-RING, P-14       2         37       D4-060-02       •GUIDE, cylinder rod       2   | 30   | D6-060-02   |   |      |
| 33       D4-060-05       •SPACER, piston       2         34       D4-060-03       •END CAP, cylinder       2         35       D4-060-65       •SEAL, PS-8       2         36       D4-010-02       •O-RING, P-14       2         37       D4-060-02       •GUIDE, cylinder rod       2  | 31   | D4-060-06   |   |      |
| 33       D4-060-05       •SPACER, piston       2         34       D4-060-03       •END CAP, cylinder       2         35       D4-060-65       •SEAL, PS-8       2         36       D4-010-02       •O-RING, P-14       2         37       D4-060-02       •GUIDE, cylinder rod       2  | 32   | D4-010-19   | •O-RING, P-6                              | 2    |
| 34       D4-060-03       •END CAP, cylinder       2         35       D4-060-65       •SEAL, PS-8       2         36       D4-010-02       •O-RING, P-14       2         37       D4-060-02       •GUIDE, cylinder rod       2   |      |             |   |      |
| 35       D4-060-65       •SEAL, PS-8       2         36       D4-010-02       •O-RING, P-14       2         37       D4-060-02       •GUIDE, cylinder rod       2   |      |             | •   |      |
| 36 D4-010-02 •O-RING, P-14  |      |             | •   |      |
| 37 D4-060-02 •GUIDE, cylinder rod   |      |             |   |      |
| ·   |      |             |   |      |
|   |      |             | ·   |      |




| Item | Part No.    | Description   | Qty. |
|------|-------------|---|------|
| 39   | D6-010-13   | •NUT, M8  | 2    |
| 40   | D4-060-10   | •CLEVIS   | 2    |
| 41   | D4-060-11   | HOSE, flexible  | 2    |
| 42   | D4-060-12   | ELBOW, 90°  | 4    |
| 43   | D4-060-53   | HOSE, flexible  | 2    |
| 44   | D6-010-17   | BOLT, allen, M8x15                                      | 14   |
| 45   | D6-010-09   | WASHER, lock, M8  | 14   |
| 46   | D3-060-29   | UPPER SIDE FRAME, right                                 | 1    |
|      | D3-060-29-1 | UPPER SIDE FRAME, right, 3100A                          | 1    |
| 47   | D6-010-28   | BOLT, allen, M5x6                                       | 8    |
| 48   | D6-060-08   | SPACER, roller  | 4    |
| 49   | D6-060-09   | ROLLER  | 4    |
| 50   | D6-060-10   | PIN   | 4    |
| 51   | D6-060-11   | CIRCLIP, E4   | 8    |
| 52   | D3-060-30   | GUIDE, cassette tray (right)                            | 1    |
| 53   | D3-060-32   | COVER PLATE, head end                                   | 1    |
| 54   | D6-060-13   | BRACKET, handle storage                                 | 1    |
| 55   | D3-060-33   | ACCESSORY RAIL  | 1    |
| 56   | D6-060-07   | BOLT, allen, M4x8                                       | 10   |
| 57   | D3-060-28   | GUIDE, top retaining                                    | 2    |
| 58   | D3-060-27-1 | CHANNEL, bearing, right                                 | 1    |
| 59   | D3-060-14-1 | HOUSING, foot/leg section lock (right)                  | 1    |
|      | D3-060-14-2 | HOUSING, foot/leg section lock (left)                   | 1    |
| 60   | D3-060-15   | PLATE, end (right)                                      | 1    |
| 61   | D6-050-31-1 | SCREW, phillips head, M5x15 (plated)                    |      |
| 62   | D3-060-16   | LOCK HANDLE, foot/leg section                           |      |
| 63   | D3-060-17   | •KNOB, lock handle                                      | 2    |
| 64   | D3-060-18   | SPACER, lock handle                                     | 2    |
| 65   | D6-060-14   | PIN, tapered, M8x30                                     | 4    |
| 66   | D6-010-33   | BOLT, allen, M8x25                                      | 4    |
| 67   | D3-060-19   | SPRING  | 2    |
| 68   | D3-060-20   | PLUNGER, lock   | 2    |
| 69   | D3-060-21   | CAM, lock   | 2    |
| 70   | D6-060-05   | PIN, roll M5x25   |      |
| 71   | D3-060-13   | NUT, special, M8  |      |
| 72   | D3-060-26   | COVER, side frame, right                                |      |
| 73   | D6-060-44-1 | SCREW, phillips head, M8x35 (plated)                    |      |
| 74   | D3-060-23   | SIDE RAIL, right  |      |
|      | D3-060-24   | SIDE RAIL, left   |      |
| 75   | D3-010-41   | •PIN, rail stop   |      |
| 76   | D3-010-43   | •STOP, rail, large                                      |      |
| 77   | D3-060-25-1 | SCALE, cassette tray positioning, right (self adhesive) |      |
|      | D3-060-25   | SCALE, cassette tray positioning, right                 |      |
|      | D3-060-09-1 | SCALE, cassette tray positioning, left (self adhesive)  |      |
|      | D3-060-09   | SCALE, cassette tray positioning, left                  |      |
| 78   | D6-060-06   | SCREW, phillips head, M3x6                              |      |
| 79   | D6-010-57   | SCREW, phillips head, M4x10                             |      |
|      |             |   |      |




| Item | Part No.    | Description                             | Qty. |
|------|-------------|---|------|
|      | D6-060-18-A | HANDLE ASSEMBLY, cassette drive         | 1    |
| 1    | D6-010-70-1 | •BOLT, allen, M5x10 (plated)            | 1    |
| 2    | D6-010-77-1 | •WASHER, lock, M5 (plated)              | 1    |
| 3    | D6-060-17   | •GRIP, handle                           | 1    |
| 4    | D6-060-18   | HANDLE, cassette drive                  | 1    |
| 5    | D6-060-19   | PIN, 4x20                               | 1    |
| 6    | D3-060-34   | SHAFT, sprocket drive                   | 1    |
| 7    | D3-060-36   | COVER, side frame, left                 | 1    |
| 8    | D6-010-41-1 | NUT, M6 (plated)                        | 3    |
| 9    | D4-060-13   | CYLINDER ASSEMBLY, slide function       | 1    |
| 10   | D4-060-14   | •ROD, cylinder                          | 1    |
| 11   | D4-060-15   | SEAL CAP, cylinder rod                  | 2    |
| 12   | D4-060-04   | •O-RING, P-15                           | 5    |
| 13   | D4-060-66   | •SEAL, PS-6                             | 2    |
| 14   | D4-060-16   | •END CAP, cylinder mounting             | 1    |
| 15   | D4-060-17   | •TUBE, cylinder                         | 1    |
| 16   | D4-060-18   | PISTON, cylinder                        |      |
| 17   | D4-060-19   | •END CAP                                | 1    |
| 18   | D4-060-20   | •ROD, cylinder                          | 1    |
| 19   | D4-010-08   | O-RING, P-7                             | 4    |
| 20   | D4-010-24   | BOLT, plumbing, M6                      | 2    |
| 21   | D4-060-21   | CYLINDER PIPING, slide cylinder (rear)  | 1    |
|      | D4-060-22   | CYLINDER PIPING, slide cylinder (front) | 1    |
| 22   | D6-010-85   | WASHER, flat, M6                        | 2    |
| 23   | D6-060-45   | CIRCLIP                                 | 1    |
| 24   | D6-060-46   | SHAFT, sprocket                         | 1    |
| 25   | D6-060-47   | ECCENTRIC BUSHING                       |      |
| 26   | D6-060-21   | SCREW, set, M5x6                        |      |
| 27   | D6-050-31-1 | SCREW, phillips head, M5x15             |      |
| 28   | D3-060-37   | PLATE, end (left)                       |      |
| 29   | D6-060-23   | PIN, roll, M3x15                        |      |
| 30   | D6-060-20   | SPROCKET, SW 1/4S11-B                   |      |
| 31   | D6-010-57   | SCREW, phillips head, M4x10             |      |
| 32   | D3-060-46-1 | CHANNEL, bearing (left)                 |      |
| 33   | D3-060-47   | GUIDE, cassette tray (left)             |      |
| 34   | D6-060-25   | NUT, M3                                 |      |
| 35   | D3-060-48   | PLATE, retainer                         |      |
| 36   | D6-060-24   | CHAIN, roller                           |      |
| 37   | D3-060-49   | GUARD, chain                            |      |
| 38   | D3-060-50   | HOLDER, cassette tray                   |      |
| 0.0  | D3-060-50-1 | •MAGNET                                 |      |
| 39   | D3-060-51   | TRAY, cassette                          |      |
| 40   | D6-060-26   | SCREW, phillips head M3x15              |      |
| 41   | D3-060-41   | MEASURING TAPE                          |      |
| 42   | D3-060-42   | BRACKET ASSEMBLY, measuring tape        |      |
| 43   | D3-060-45   | ROLLER                                  | 1    |




| Item | Part No.    | Description                                   | Qty. |
|------|-------------|---|------|
| 44   | D6-010-80   | SCREW, phillips head, M3x6                    | 4    |
| 45   | D3-060-44   | COVER, measuring tape                         | 1    |
| 46   | D3-060-43   | LENS (red line) 3100-601&P, 3100A-035&P       | 1    |
|      | D3-060-43-1 | LENS (black triangle) 3100-602&L, 3100A-036&L | 1    |
| 47   | D6-060-22   | SCREW, phillips head, M3x10                   | 2    |
| 48   | D6-010-70   | BOLT, allen, M5x10                            | 3    |
| 49   | D3-060-39   | UPPER SIDE FRAME (left)                       | 1    |
|      | D3-060-39-1 | UPPER SIDE FRAME (left) 3100A                 | 1    |
| 50   | D6-010-28   | BOLT, allen, M5x6                             | 8    |
| 51   | D3-060-35   | ECCENTRIC BUSHING                             | 1    |




| Item     | Part No.               | Description                                     | Qty. |
|----------|------------------------|---|------|
| 1        | D4-060-68              | CYLINDER ASSYEMBLY, trendelenburg 1994-11-561&L | 1    |
|          | D4-060-27              | CYLINDER ASSEMBLY, trendelenburg 1994-11-560&P  | 1    |
| 2        | D4-010-56              | •O-RING, P-10A                                  | 1    |
| 3        | D4-060-31              | •PISTON   | 1    |
| 4        | D4-010-05              | •O-RING, P-50A                                  | 1    |
| 5        | D6-010-42              | •WASHER, lock, M10                              | 1    |
| 6        | D6-010-43              | •NUT, M10                                       | 1    |
| 7        | D4-010-13              | •O-RING, G-55                                   | 2    |
| 7A       | D4-010-59              | •O-RING, P-55 (for D4-060-68)                   |      |
|          | D4-010-13              | •O-RING, G-55 (for D4-060-27)                   |      |
| 8        | D4-060-28              | •NUT, cylinder tail section                     |      |
| 9        | D4-060-23              | •O-RING, P-20                                   |      |
| 10       | D6-010-28              | BOLT, allen, M5x6                               |      |
| 11       | D4-060-36              | RETAINER NUT, ball joint                        |      |
| 12       | D2-060-37              | BEARING ASSEMBLY, trendelenburg cylinder        |      |
| 13       | D4-010-11              | O-RING, KS-8                                    |      |
| 14       | D4-060-26              | FITTING, hydraulic, 90° elbow, long             |      |
|          | D4-060-26-1            | FITTING, hydraulic, 90° elbow, short            |      |
| 15       | D4-060-67              | BOLT, plumbing, M8                              |      |
| 16       | D4-060-37              | HOSE, flexible                                  |      |
| 17       | D4-060-25              | HOSE, flexible                                  |      |
| 18       | D2-060-01              | SLIDER  |      |
| 19       | D2-060-08              | FLANGE, cylinder mounting                       |      |
| 20       | D6-010-54              | BOLT, allen, M8x30                              |      |
| 21       | D2-060-09              | AXIS, trendelenburg cylinder                    |      |
| 22       | D6-060-30              | RING, retaining                                 |      |
| 23       | D2-060-35              | STOP, bearing                                   |      |
| 23<br>24 | D6-010-10-3            | BOLT, allen, M4x10                              |      |
| 25       | D2-060-02              | STOP, needle bearing, upper                     |      |
| 25<br>26 | D2-060-02<br>D2-060-03 | NEEDLE BEARING ASSEMBLY                         |      |
|          |                        | BEARING RACE                                    | 12   |
| 27       | D2-060-38              |   |      |
| 28       | D2-060-33              | CUSHION, dropping                               |      |
| 29       | D2-060-32              | PIN, stop                                       |      |
| 30       | D2-060-31              | STOP, bearing                                   |      |
| 31       | D2-060-41              | HOLDER, slider, S.N.3100-1992-8-441&L           |      |
| 0.0      | D2-060-05              | HOLDER, slider, S.N.3100-1992-8-440&P           |      |
| 32       | D6-060-34              | SET SCREW, M8x10                                |      |
| 33       | D2-060-04              | STOP, needle bearing, lower                     |      |
| 0.4      | D2-060-04-1            | STOP, needle bearing, lower (small)             |      |
| 34       | D6-060-40              | SCREW, phillips head                            |      |
| 35       | D6-060-27              | BOLT, allen, M12x45                             |      |
| 36       | D6-060-28              | SCREW, round head, M5x10                        |      |
| 0.7      | D6-050-36-1            | BOLT, allen, M5x8                               |      |
| 37       | D2-060-36              | STOP, bearing                                   |      |
| 38       | D6-010-59              | •NUT, M4  |      |
| 39       | D2-060-42              | SHROUD, elevation, outer, S.N.3100-1992-8-441&L |      |
| _        | D2-060-07              | SHROUD, elevation, outer, S.N.3100-1992-8-440&P |      |
| 40       | D2-060-43              | SHROUD, elevation, inner, S.N.3100-1992-8-441&L |      |
|          | D2-060-06              | SHROUD, elevation, inner, S.N.3100-1992-8-440&P | 1    |




| Item | Part No.    | Description  | Qty. |
|------|-------------|--|------|
| 41   | D6-010-49   | SCREW, phillips head, M5x12, S.N.3100-1992-8-441&L | 4    |
|      | D6-070-26   | SCREW, phillips head, M5x10, S.N.3100-1992-8-440&P |      |
| 42   | D4-060-38   | CYLINDER ASSEMBLY, elevation                       | 1    |
| 43   | D4-060-39   | •ROD, piston, elevation cylinder                   | 1    |
| 44   | D4-060-40   | •END CAP, elevation cylinder                       | 1    |
| 45   | D4-010-56   | •O-RING, P-10A                                     | 1    |
| 46   | D4-060-41   | PISTON, elevation cylinder                         | 1    |
| 47   | D4-010-12   | •O-RING, P-24                                      | 1    |
| 48   | D6-010-42   | •WASHER  | 1    |
| 49   | D6-010-43   | •NUT   | 1    |
| 50   | D4-060-42   | •TUBE, elevation cylinder                          | 1    |
| 51   | D4-010-54   | •O-RING, P-34                                      | 1    |
| 52   | D4-060-43-1 | •SAUCER, elevation cylinder, S.N.3100-1992-8-441&L | 1    |
|      | D4-060-43   | •SAUCER, elevation cylinder, S.N.3100-1992-8-440&P | 1    |
| 53   | D4-010-51   | O-RING, P-16                                       | 1    |
| 54   | D1-060-01   | GUARD, hose, S.N.3100-1992-8-440&P                 | 2    |
| 55   | D4-010-32   | PACKING, copper                                    | 1    |
| 56   | D4-010-31   | FITTING, flexible hose                             | 1    |
| 57   | D4-060-44   | HOSE, flexible, 200mm                              | 1    |
| 58   | D6-060-32   | WASHER, special                                    | 1    |
| 59   | D6-010-51   | BOLT, allen, M6x10                                 | 1    |




| Item | Part No.    | Description                                      | Qty. |
|------|-------------|--|------|
| 1    | D2-060-10   | COVER, center section                            | 1    |
| 2    | D6-060-07   | SCREW, round head, M4x6                          | 4    |
| 3    | D6-010-53   | BOLT, allen, M8x20                               | 6    |
| 4    | D2-060-11   | PLATE, center section                            | 1    |
| 5    | D6-010-91   | BOLT, allen, M6x25                               | 10   |
| 6    | D2-060-34   | PLATE, trendelenburg pivot                       | 1    |
| 7    | D2-060-12   | COVER, upper frame                               | 1    |
| 8    | D6-010-33   | BOLT, allen, M8x25                               | 4    |
| 9    | D4-060-45   | TERMINAL, plumbing, left                         | 1    |
|      | D4-060-46   | TERMINAL, plumbing, right                        | 1    |
| 10   | D4-060-11   | HOSE, flexible, 1200mm                           | 2    |
| 11   | D4-060-53   | HOSE, flexible, 1400mm                           | 2    |
| 12   | D4-010-31   | FITTING, flexible hose                           | 2    |
| 13   | D6-010-30-1 | BOLT, allen, M6x20 (plated)                      | 4    |
| 14   | D4-060-47   | CYLINDER PIPING, kidney bridge cylinder (left)   | 1    |
|      | D4-060-51   | CYLINDER PIPING, kidney bridge cylinder (right)  | 1    |
| 15   | D4-060-48   | CYLINDER PIPING, kidney bridge cylinder (left)   | 1    |
|      | D4-060-52   | CYLINDER PIPING, kidney bridge cylinder (right)  | 1    |
| 16   | D4-010-24   | BOLT, plumbing, M6                               | 12   |
| 17   | D4-010-08   | O-RING, P-7                                      | 24   |
| 18   | D4-060-49   | TERMINAL, plumbing                               | 4    |
| 19   | D4-060-21   | CYLINDER PIPING, slide function cylinder (rear)  | 1    |
|      | D4-060-22   | CYLINDER PIPING, slide function cylinder (front) | 1    |
| 20   | D4-010-18   | CAP, blind, M6                                   | 2    |
| 21   | D4-060-50   | HOSE, flexible, 1550mm                           | 6    |
| 22   | D6-010-45   | BOLT, allen, M10x30                              | 4    |
| 23   | D2-060-13   | BRACKET, trendelenburg pivot                     | 2    |
| 24   | D2-060-14   | CAP, lateral tilt cylinder, left                 | 1    |
| 25   | D4-032-79   | O-RING, S-55, S.N.3100-1992-10-461&L             | 2    |
| 26   | D4-060-24   | O-RING, P-49                                     | 4    |
| 27   | D4-060-54   | PISTON, lateral tilt                             | 2    |
| 28   | D4-060-55   | CONNECTING ROD, lateral tilt piston              | 2    |
| 29   | D2-060-15   | HOUSING, lateral tilt cylinder                   | 1    |
| 30   | D2-060-16   | AXIS, lateral tilt                               | 1    |
| 31   | D2-060-17   | CAP, lateral tilt cylinder, right                | 1    |
| 32   | D6-060-38   | SET SCREW, M5x10                                 | 5    |
| 33   | D2-060-40   | NUT, trendelenburg axis                          | 2    |
| 34   | D4-010-29   | FITTING, hydraulic, 90° elbow                    | 2    |
| 35   | D6-010-22   | BOLT, allen, M12x35                              | 2    |
| 36   | D2-060-20   | COVER PLATE, trendelenburg cylinder              | 1    |
| 37   | D6-010-19   | SCREW, phillips, M5x10                           | 2    |
| 38   | D2-060-21   | HEAD PLATE, slider                               | 1    |
| 39   | D2-060-22   | SPACER, mounting plate                           | 2    |
| 40   | D2-060-23   | PLATE, micro-switch mounting                     | 1    |
| 41   | D6-060-36   | BOLT, allen, M4x30                               | 2    |
| 42   | D6-060-28   | SCREW, round head, M5x8                          | 2    |




| Item | Part No.    | Description                       | Qty. |
|------|-------------|-----------------------------------|------|
| 43   | D2-060-24   | COVER, micro-switch               | 1    |
| 44   | D6-060-37   | BOLT, allen, M3x20                | 8    |
| 45   | D5-060-01   | MICRO-SWITCH, V-1A                | 4    |
| 46   | D2-060-19   | PIN, lateral tilt                 | 1    |
| 47   | D2-060-18   | CASTING, lateral tilt pivot       | 1    |
| 48   | D6-060-35   | BOLT, allen, M12x25               | 2    |
| 49   | D6-060-34   | SET SCREW, M8x10                  | 1    |
| 50   | D2-060-26   | NUT, lateral tilt axis            | 1    |
| 51   | D2-060-25   | ACTUATOR, micro-switch            | 1    |
| 52   | D2-060-27   | COVER, trendelenburg micro-switch | 1    |
| 53   | D6-060-41   | BOLT, allen M4x3                  | 2    |
| 54   | D2-060-28   | BRACKET, micro-switch mounting    | 1    |
| 55   | D6-010-70   | BOLT, allen, M5x10                | 2    |
| 56   | D2-060-30   | COVER, upper frame                |      |
| 57   | D6-060-42   | SCREW, round head, M5x10          | 8    |
| 58   | D2-060-29   | ACTUATOR, micro-switch            | 1    |
| 59   | D3-060-53   | MAIN SIDE FRAME, left             | 1    |
|      | D3-060-54   | MAIN SIDE FRAME, right            | 1    |
| 60   | D3-060-55   | BEARING ASSEMBLY                  | 16   |
| 61   | D6-010-10-1 | SET SCREW, M6x10                  | 16   |




| Item | Part No.    | Description                                  | Qty. |
|------|-------------|--|------|
| 1    | D5-060-21   | PENDANT CONTROL ASSEMBLY (letters)           | 1    |
|      | D5-060-15   | PENDANT CONTROL ASSEMBLY (one touch)         |      |
|      | D5-060-08   | PENDANT CONTROL ASSEMBLY (w/Energize & Move) |      |
|      | D5-060-02   | PENDANT CONTROL ASSEMBLY (w/Energize)        |      |
| 2    | D6-032-33   | •SCREW, pendant hook, M4x12                  |      |
| 3    | D5-031-14   | •HOOK, pendant                               |      |
| 4    | D5-031-22   | •COVER, rubber                               | 1    |
| 5    | D5-031-34   | •INSERT, pendant hook                        | 1    |
| 6    | D5-030-23   | •MICRO-SWITCH                                | A/R  |
| 7    | D5-031-21   | GASKET, micro-switch plate                   | 1    |
| 8    | D5-032-01   | •PLATE, micro-switch mounting                | 1    |
| 9    | D5-031-07   | •SPRING, pendant button                      | A/R  |
| 10   |             | •BUTTON, pendant (specify function & S.N.)   | A/R  |
| 11   | D5-031-12-1 | HOLDER, plastic button                       | 1    |
| 12   | D5-060-22   | •FACE PLATE, pendant control, for D5-060-21  | 1    |
|      | D5-060-17   | •FACE PLATE, pendant control, for D5-060-15  | 1    |
|      | D5-060-11   | •FACE PLATE, pendant control, for D5-060-08  | 1    |
|      | D5-060-04   | •FACE PLATE, pendant control, for D5-060-02  | 1    |
| 13   | D6-010-80-1 | •SCREW, phillips hd., M3x6                   | 4    |
| 14   | D6-010-109  | •SCREW, phillips hd., M3x15                  | 6    |
| 15   | D5-030-42   | •WASHER, special                             | 6    |
| 16   | D5-030-43   | •INDICATOR LIGHT, green                      | 1    |
| 17   | D5-030-48   | CHROME RING, indicator light                 | 1    |
| 18   | D6-032-15   | •SCREW, M3x10                                | 2    |
| 19   | D6-060-26   | •SCREW, M3x15                                | 6    |
| 20   | D5-031-13-1 | •STRAIN RELIEF, pendant end                  | 1    |
| 21   | D5-031-13   | CORD, pendant control                        | 1    |
| 22   | D5-031-13-2 | •STRAIN RELIEF, connector end                | 1    |
| 23   | D6-010-24   | •TIE, cable                                  | 1    |
| 24   | D5-030-18   | •COVER, cannon connector                     | 1    |
| 25   | D5-030-21   | CONNECTOR, cannon (male 19 pin)              | 1    |
| 26   | D6-010-57-1 | SCREW, phillips hd., M4x10 (plated)          | 4    |
| 27   | D5-030-20   | CONNECTOR, cannon (female 19 pin)            | 1    |
| 28   | D5-030-46   | GASKET, connector                            | 2    |
| 29   | D6-032-10   | SCREW  | 4    |
| 30   | D5-032-20   | COVER, auxiliary base connector              | 1    |
| 31   | D4-030-05   | PUMP/MOTOR ASSEMBLY                          | 1    |
| 32   | D6-011-19   | BOLT, allen, M5x75                           | 3    |
| 33   | D1-030-14   | PAD, insulating, motor                       | 1    |
| 34   | D5-030-04   | CONNECTOR, 3-pin, male                       | 1    |
| 35   | D5-030-05   | CONNECTOR, 3-pin, female                     | 1    |
| 36   | D5-030-03   | CONNECTOR, 2-pin, female                     | A/R  |
| 37   | D5-030-02   | CONNECTOR, 2-pin, male                       | A/R  |
| 38   | D6-010-19   | SCREW, phillips hd., M5x10                   | 1    |




| Item | Part No.  | Description  | Qty. |
|------|-----------|--|------|
|      |           |  |      |
| 39   | D1-031-19 | BRACKET, capacitor                                 | 1    |
| 40   | D6-010-70 | BOLT, allen, M5x10                                 | 2    |
| 41   | D5-030-29 | CAPACITOR, motor starting                          | 1    |
| 42   | D5-032-14 | CONNECTOR, 5-pin, female                           | 1    |
| 43   | D5-032-28 | CONNECTOR, 16-pin, female                          | 2    |
| 44   | D5-032-27 | CONNECTOR, 15-pin, female                          | 1    |
|      | D5-060-23 | WIRE HARNESS, micro-switches                       | 1    |
| 45   | D5-032-30 | RELAY BOX, S.N.3100-1992-8-441&L                   | 1    |
|      | D5-060-19 | RELAY BOX, S.N.3100-1989-11-274 to 3100-1992-8-440 | 1    |
|      | D5-060-14 | RELAY BOX, S.N.3100-1989-11-273&P                  | 1    |
| 46   | D5-032-10 | CONNECTOR, 20-pin, female                          | 1    |
|      | D5-031-45 | CONNECTOR, 16-pin, male                            | 1    |
|      | D5-031-46 | CONNECTOR, 16-pin, female                          | 1    |
|      | D5-030-30 | CONNECTOR, 36-pin, male                            | 1    |
|      | D5-030-31 | CONNECTOR, 36-pin, female                          | 1    |
|      | D5-030-33 | CONNECTOR, 6-pin, male                             | 1    |
|      | D5-030-32 | CONNECTOR, 6-pin, female                           | 1    |




| 1 D4-032-23 TERMINAL, plumbing, S.N.3100-1992-8-441&L 1 D4-031-99 TERMINAL, plumbing (Emergency Brake Release) 1 D4-031-17-1 TERMINAL, plumbing (Emergency Brake Release) 1 1 D4-031-17-1 TERMINAL, plumbing (Emergency Brake Release) 1 1 D4-010-08 DOLT, plumbing, M6 A/R D4-010-08 O-RING, P-7 A/R D6-032-13 BOLT, allen, M6x140, S.N.3100-1992-8-441&L 2 D6-010-94 BOLT, allen, M6x140, S.N.3100-1992-8-441&L 2 D6-010-95 WASHER, flat, M6 2 D6-010-95 WASHER, flat, M6 2 D4-032-01 STAND-OFF, S.N.3100-1992-8-441&L 2 D4-031-16 BUSHING, isolation 4 B D4-032-01 STAND-OFF, S.N.3100-1992-8-441&L 2 D4-010-32 PACKING, copper A/R D4-010-31 FITTING, flexible hose A/R D4-031-03 PACKING, copper A/R D4-031-03 PACKING, copper A/R D4-031-03 PACKING, copper A/R D4-031-03 PACKING, copper A/R D4-031-04 BOLT, allen, M6x45 4 D4-031-05 PACKING, P-16 1 D4-010-16 SOLT, allen, M5x45 4 D4-031-07 V-O-RING, P-16 1 D4-010-16 V-O-RING, P-16 1 D4-010-16 V-O-RING, P-16 1 D4-031-12 V-ALVE, relief, fsmr dial (stael) 1 D4-010-18 CAP, blind, M6 D4-031-22 U-HOUSING, relief valve (sfmr dial valve) 1 D4-010-18 CAP, blind, M6 D4-031-25 COIL LINE, pump outlet, S.N.3100-1992-8-441&L 1 D4-032-26 OIL LINE, pump outlet, S.N.3100-1992-8-440&P 1 D4-032-27 OIL LINE, pump outlet, S.N.3100-1992-8-440&P 1 D4-032-28 OIL LINE DESCRIPTION OF S.N.3100-1992-8-440&P 1 D4-032-29 D4-032-29 OIL LINE DESCRIPTION OF S.N.3100-1992-8-440&P 1 D4-032-24 BLOCK, emergency brake release S.N.3100-600&P, 3100-040&P 1 D4-032-24 BLOCK, emergency brake release S.N.3100-600&P, 3100-040&P 1 D4-032-24 BLOCK, emergency brake release S.N.3100-600&P, 3100-040&P 1 D4-032-24 FINING, elifler 1 D4-032-25 FINING, elifler | Item | Part No.    | Description   | Qty. |
|--|------|-------------|---|------|
| D4-031-99   TERMINAL, plumbing (Emergency Brake Release)   1   | 1    | D4-032-23   | TERMINAL, plumbing, S.N.3100-1992-8-441&L                   | 1    |
| D4-031-17-1   TERMINAL, plumbing.   1  |      | D4-031-99   | ·   |      |
| 3         D4-010-24         BOLT, plumbing, M6         A/R           4         D4-010-08         O-RINIG, P-7         A/R           5         D6-032-13         BOLT, allen, M6x140, S.N.3100-1992-8-441&L         2           D6-010-94         BOLT, allen, M6x35, S.N.3100-1992-8-440&P         2           6         D6-010-85         WASHER, flat, M6         2           7         D6-031-16         BUSHING, isolation         4           8         D4-032-81         STAND-OFF, S.N.3100-1992-8-441&L         2           9         D4-010-32         PACKING, copper         A/R           10         D4-010-31         FITTING, flexible hose         A/R           11         HOSE, flexible (specify function)         A/R           12         D6-010-47         BOLT, allen, M5x45         4           13         D4-031-23         PRESSURE RELIEF VALVE ASSY         1           14         D4-031-67         •O-RING, P-10         1           15         D4-010-51         •O-RING, P-16         1           16         D4-031-22         *HOUSING, relief valve (5mm dia valve)         1           17         D4-031-23-2         *HOUSING, relief valve (5mm dia valve)         1           18         D4   |      | D4-031-17-1 |   |      |
| 4         D4-010-08         O-RING, P-7         A/R           5         D6-032-13         BOLT, allen, M6x140, S.N.3100-1992-8-441&L         2           06-010-94         BOLT, allen, M6x35, S.N.3100-1992-8-440&P         2           6         D6-010-85         WASHER, flat, M6         2           7         D6-031-16         BUSHING, solation         4           8         D4-032-81         STAND-OFF, S.N.3100-1992-8-441&L         2           9         D4-010-32         PACKING, copper         A/R           10         D4-010-31         FITTING, flexible hose         A/R           11         HOSE, flexible (specify function)         A/R           12         D6-010-47         BOLT, allen, M5x45         4           13         D4-031-23         PRESSURE RELIEF VALVE ASSY         1           14         D4-031-67         *O-RING, P-10         1           15         D4-010-51         *SPRING         1           16         D4-031-12         *SPRING         1           17         D4-031-23-2         *HOUSING, relief valve (5mm dia valve)         1           18         D4-031-23-2         *HOUSING, relief valve (5mm dia valve)         1           19         D4-010-18  | 2    |             | OIL LINE, specify function                                  | A/R  |
| 5         D6-010-94         BOLT, allen, M6x35, S.N.3100-1992-8-440&P         2           6         D6-010-85         WASHER, flat, M6         2           7         D6-031-16         BUSHING, isolation         4           8         D4-032-81         STAND-OFF, S.N.3100-1992-8-441&L         2           9         D4-010-32         PACKING, copper         A/R           10         D4-010-31         FITTING, flexible hose         A/R           11         HOSE, flexible (specify function)         A/R           12         D6-010-47         BOLT, allen, M5x45         4           13         D4-031-67         +O-RING, P-10         1           14         D4-031-67         +O-RING, P-16         1           15         D4-010-51         +O-RING, P-16         1           16         D4-031-23-1         +VALVE, relief, 5rm dia (steel)         1           17         D4-031-23-2         +OUSING, relief valve (5mm dia valve)         1           19         D4-010-18         CAP, blind, M6         1           20         D4-032-258         OIL LINE, pump outlet, S.N.3100-1992-8-441&L         1           21         D4-032-25         OIL LINE         1           22         D4-032-2  | 3    | D4-010-24   | BOLT, plumbing, M6  | A/R  |
| D6-010-94         BOLT, allen, M6x35, S.N.3100-1992-8-440&P         2           6         D6-010-85         WASHER, flat, M6         2           7         D6-031-16         BUSHING, solation         4           8         D4-032-81         STAND-OFF, S.N.3100-1992-8-441&L         2           9         D4-010-32         PACKING, copper         A/R           10         D4-010-31         FITTING, flexible hose         A/R           11         HOSE, flexible (specify function)         A/R           12         D6-010-47         BOLT, allen, M5x45         4           13         D4-031-67         *O-RING, P-10         1           14         D4-031-23         PRESSURE RELIEF VALVE ASSY.         1           15         D4-010-51         *O-RING, P-10         1           16         D4-031-12         *SPRING         1           17         D4-031-23-1         *VALVE, relief, 5rm dia (steel)         1           18         D4-031-12         *SPRING         1           19         D4-010-18         CAP, blind, M6         1           20         D4-032-26         OIL LINE, pump outlet, S.N.3100-1992-8-441&L         1           D4-031-22         OIL LINE, pump outlet, S.N.3100-1992-8-44   | 4    | D4-010-08   | O-RING, P-7   | A/R  |
| 6         D6-031-16         BUSHING, Isolation         4           8         D4-032-81         STAND-OFF, S.N. 3100-1992-8-441&L         2           9         D4-010-32         PACKING, copper         A/R           10         D4-010-31         FITTING, flexible hose         A/R           11         HOSE, flexible (specify function)         A/R           12         D6-010-47         BOLT, allen, M5x45         4           13         D4-031-23         PRESSURE RELIEF VALVE ASSY.         1           14         D4-031-67         *O-RING, P-10         1           15         D4-010-51         *O-RING, P-16         1           16         D4-031-12         *SPRING         1           17         D4-031-23-1         *VALVE, relief, 5mm dia (steel)         1           18         D4-031-23-2         *HOUSING, relief valve (5mm dia valve)         1           19         D4-010-18         CAP, blind, M6         1           20         D4-032-52         OIL LINE, pump outlet, S.N.3100-1992-8-441&L         1           21         D4-032-55         OIL LINE, pump outlet, S.N.3100-1992-8-440&P         1           21         D4-032-50         OIL LINE, pump outlet, S.N.3100-1992-8-440&P         1   | 5    | D6-032-13   | BOLT, allen, M6x140, S.N.3100-1992-8-441&L                  | 2    |
| 7         D6-031-16         BUSHING, isolation         4           8         D4-032-81         STAND-OFF, S.N.3100-1992-8-441&L         2           9         D4-010-32         PACKING, copper         A/R           10         D4-010-31         FITTING, flexible hose         A/R           11         HOSE, flexible (specify function)         A/R           12         D6-010-47         BOLT, allen, M5x45         4           13         D4-031-23         PRESSURE RELIEF VALVE ASSY.         1           14         D4-031-67         •O-RING, P-10         1           15         D4-010-51         •O-RING, P-16         1           16         D4-031-12         •SPRING         1           17         D4-031-23-1         •VALVE, relief, 5mm dia (steel)         1           18         D4-031-23-2         +HOUSING, relief valve (5mm dia valve)         1           19         D4-010-18         CAP, blind, M6         1           20         D4-032-25         OIL LINE, pump outlet, S.N.3100-1992-8-441&L         1           21         D4-032-25         OIL LINE, pump outlet, S.N.3100-1992-8-440&P         1           21         D4-032-25         OIL LINE         1           22 <t< td=""><td></td><td>D6-010-94</td><td>BOLT, allen, M6x35, S.N.3100-1992-8-440&amp;P</td><td> 2</td></t<>   |      | D6-010-94   | BOLT, allen, M6x35, S.N.3100-1992-8-440&P                   | 2    |
| 8         D4-010-32         STAND-OFF, S.N.3100-1992-8-4418L         2           9         D4-010-32         PACKING, copper         A/R           10         D4-010-31         FITTING, flexible hose         A/R           11         HOSE, flexible (specify function)         A/R           12         D6-010-47         BOLT, allen, M5x45         4           13         D4-031-23         PRESSURE RELIEF VALVE ASSY.         1           14         D4-031-67         •O-RING, P-16         1           15         D4-010-51         •O-RING, P-16         1           16         D4-031-12         •SPRING         1           17         D4-031-23-2         •HOUSING, relief valve (5mm dia valve)         1           18         D4-031-23-2         •HOUSING, relief valve (5mm dia valve)         1           19         D4-01-18         CAP, blind, M6         1           20         D4-032-52         OIL LINE, pump outlet, S.N.3100-1992-8-4418L         1           21         D4-032-52         OIL LINE, pump outlet, S.N.3100-1992-8-4408P         1           22         D4-032-52         OIL LINE         1           23         D4-032-50         OIL LINE         1           24         D  | 6    | D6-010-85   | WASHER, flat, M6  | 2    |
| 9         D4-010-32         PACKING, copper         A/R           10         D4-010-31         FITTING, flexible hose         A/R           11         HOSE, flexible (specify function)         A/R           12         D6-010-47         BOLT, allen, M5x45         4           13         D4-031-23         PRESSURE RELIEF VALVE ASSY         1           14         D4-031-67         +0-RING, P-10         1           15         D4-010-51         +0-RING, P-16         1           16         D4-031-12         *SPRING         1           17         D4-031-23-1         *VALVE, relief, 5mm dia (steel)         1           18         D4-031-23-2         *HOUSING, relief valve (5mm dia valve)         1           19         D4-010-18         CAP, blind, M6         1           20         D4-032-58         OIL LINE, pump outlet, S.N.3100-1992-8-441&L         1           21         D4-031-22         OIL LINE, pump outlet, S.N.3100-1992-8-440&P         1           21         D4-032-52         OIL LINE         1           22         D4-032-52         OIL LINE         1           23         D4-032-52         OIL LINE         1           24         D4-032-64         FLEX   | 7    | D6-031-16   | BUSHING, isolation  | 4    |
| 10   | 8    | D4-032-81   | STAND-OFF, S.N.3100-1992-8-441&L                            | 2    |
| HOSE, flexible (specify function)  | 9    | D4-010-32   | PACKING, copper   | A/R  |
| 12         D6-010-47         BOLT, allen, M5x45         4           13         D4-031-23         PRESSURE RELIEF VALVE ASSY         1           14         D4-031-67         •O-RING, P-10         1           15         D4-010-51         •O-RING, P-16         1           16         D4-031-12         •SPRING         1           17         D4-031-23-1         •VALVE, relief, 5mm dia (steel)         1           18         D4-031-23-2         •HOUSING, relief valve (5mm dia valve)         1           19         D4-010-18         CAP, blind, M6         1           20         D4-032-58         OIL LINE, pump outlet, S.N.3100-1992-8-441&L         1           21         D4-032-58         OIL LINE, pump outlet, S.N.3100-1992-8-440&P         1           21         D4-032-50         OIL LINE         1           22         D4-032-51         FLEXIBLE TUBE         1           23         D4-032-50         OIL LINE         1           24         D4-032-47         OIL LINE         1           25         D4-032-49         OIL LINE         1           26         D4-032-49         OIL LINE         1           29         D4-010-32         ELXIBLE HOSE   | 10   | D4-010-31   | FITTING, flexible hose                                      | A/R  |
| 13         D4-031-23         PRESSURE RELIEF VALVE ASSY.         1           14         D4-031-67         +O-RING, P-10.         1           15         D4-010-51         +O-RING, P-16.         1           16         D4-031-12         +SPRING         1           17         D4-031-23-1         +VALVE, relief, 5mm dia (steel).         1           18         D4-031-23-2         +HOUSING, relief valve (5mm dia valve).         1           19         D4-010-18         CAP, blind, M6.         1           20         D4-032-58         OIL LINE, pump outlet, S.N.3100-1992-8-441&L         1           21         D4-032-52         OIL LINE, pump outlet, S.N.3100-1992-8-440&P         1           21         D4-032-52         OIL LINE         1           21         D4-032-52         OIL LINE         1           22         D4-032-52         OIL LINE         1           23         D4-032-51         FLEXIBLE TUBE         1           24         D4-032-47         OIL LINE         1           25         D4-032-48         FLEXIBLE HOSE         1           26         D4-032-49         OIL LINE         1           28         D4-032-24         BLOCK, emergency brake  | 11   |             | HOSE, flexible (specify function)                           | A/R  |
| 14         D4-031-67         *O-RING, P-10         1           15         D4-010-51         *O-RING, P-16         1           16         D4-031-12         *SPRING         1           17         D4-031-23-1         *VALVE, relief, 5mm dia (steel)         1           18         D4-031-23-2         *HOUSING, relief valve (5mm dia valve)         1           19         D4-010-18         CAP, blind, M6         1           20         D4-032-58         OIL LINE, pump outlet, S.N.3100-1992-8-4418L         1           21         D4-031-22         OIL LINE, pump outlet, S.N.3100-1992-8-440&P         1           21         D4-032-52         OIL LINE         1           22         D4-031-22         OIL LINE         1           23         D4-032-52         OIL LINE         1           24         D4-032-51         FLEXIBLE TUBE         1           24         D4-032-40         OIL LINE         1           25         D4-032-48         FLEXIBLE HOSE         1           26         D4-032-49         OIL LINE         1           27         D4-032-24         BLOCK, emergency brake release S.N. 3100-600&P, 3100A-040&P         1           29         D4-010-52  | 12   | D6-010-47   | BOLT, allen, M5x45  | 4    |
| 15         D4-010-51         *O-RING, P-16         1           16         D4-031-12         *SPRING         1           17         D4-031-23-1         *VALVE, relief, 5mm dia (steel)         1           18         D4-031-23-2         *VALVE, relief, 5mm dia (steel)         1           19         D4-010-18         CAP, blind, M6         1           20         D4-032-58         OIL LINE, pump outlet, S.N.3100-1992-8-441&L         1           D4-031-22         OIL LINE, pump outlet, S.N.3100-1992-8-440&P         1           21         D4-032-52         OIL LINE         1           22         D4-032-50         OIL LINE         1           23         D4-032-50         OIL LINE         1           24         D4-032-50         OIL LINE         1           24         D4-032-50         OIL LINE         1           25         D4-032-47         OIL LINE         1           26         D4-032-48         FLEXIBLE HOSE         1           26         D4-032-249         OIL LINE         1           27         D4-032-241         BLOCK, emergency brake release S.N. 3100-600&P, 3100A-040&P         1           29         D4-010-52         O-RING, P-4         1  | 13   | D4-031-23   | PRESSURE RELIEF VALVE ASSY.                                 | 1    |
| 16         D4-031-12         *SPRING         1           17         D4-031-23-1         *VALVE, relief, 5mm dia (steel)         1           18         D4-031-23-2         *HOUSING, relief valve (5mm dia valve)         1           19         D4-010-18         CAP, blind, M6         1           20         D4-032-58         OIL LINE, pump outlet, S.N.3100-1992-8-441&L         1           D4-031-22         OIL LINE, pump outlet, S.N.3100-1992-8-440&P         1           21         D4-032-52         OIL LINE         1           22         D4-032-52         OIL LINE         1           23         D4-032-50         OIL LINE         1           24         D4-032-51         FLEXIBLE TUBE         1           25         D4-032-47         OIL LINE         1           25         D4-032-48         FLEXIBLE HOSE         1           26         D4-032-49         OIL LINE         1           28         D4-032-24         BLOCK, emergency brake release S.N. 3100-600&P, 3100A-040&P         1           29         D4-010-32         O-RING, P-4         1           30         D4-032-25         HANDLE, emergency brake release S.N. 3100-600&P, 3100A-040&P         1           31         <  | 14   | D4-031-67   | •O-RING, P-10   | 1    |
| 17         D4-031-23-1         •VALVE, relief, 5mm dia (steet)         1           18         D4-031-23-2         •HOUSING, relief valve (5mm dia valve)         1           19         D4-010-18         CAP, blind, M6         1           20         D4-032-58         OIL LINE, pump outlet, S.N.3100-1992-8-441&L         1           D4-031-22         OIL LINE, pump outlet, S.N.3100-1992-8-440&P         1           21         D4-032-52         OIL LINE         1           22         D4-032-55         OIL LINE         1           23         D4-032-51         FLEXIBLE TUBE         1           24         D4-032-50         OIL LINE         1           25         D4-032-47         OIL LINE         1           26         D4-032-48         FLEXIBLE HOSE         1           26         D4-032-49         OIL LINE         1           28         D4-032-49         OIL LINE         1           29         D4-032-24         BLOCK, emergency brake release S.N. 3100-600&P, 3100A-040&P         1           29         D4-010-52         O-RING, P-4         1           30         D4-032-25         HANDLE, emergency brake release         1.           31         D6-010-30         <   | 15   | D4-010-51   | •O-RING, P-16   | 1    |
| 18         D4-031-23-2         +HOUSING, relief valve (5mm dia valve)         1           19         D4-010-18         CAP, blind, M6         1           20         D4-032-58         OIL LINE, pump outlet, S.N.3100-1992-8-441&L         1           D4-031-22         OIL LINE, pump outlet, S.N.3100-1992-8-440&P         1           21         D4-032-52         OIL LINE         1           22         D4-032-51         FLEXIBLE TUBE         1           23         D4-032-50         OIL LINE         1           24         D4-032-47         OIL LINE         1           25         D4-032-47         OIL LINE         1           26         D4-032-49         OIL LINE         1           28         D4-032-24         BLOCK, emergency brake release S.N. 3100-600&P, 3100A-040&P         1           29         D4-032-24-1         BLOCK, emergency brake release S.N. 3100-601&L, 3100A-041&L         1           29         D4-010-52         O-RING, P-4         1           30         D4-032-25         HANDLE, emergency brake release         1.           31         D6-010-30         BOLT, allen, M6x20         A/R           32         D4-032-46         SPACER         1           33  | 16   | D4-031-12   | •SPRING   | 1    |
| 19         D4-010-18         CAP, blind, M6         1           20         D4-032-58         OIL LINE, pump outlet, S.N.3100-1992-8-441&L         1           D4-031-22         OIL LINE, pump outlet, S.N.3100-1992-8-440&P         1           21         D4-032-52         OIL LINE         1           22         D4-032-51         FLEXIBLE TUBE         1           23         D4-032-50         OIL LINE         1           24         D4-032-47         OIL LINE         1           25         D4-032-48         FLEXIBLE HOSE         1           26         D4-032-48         FLEXIBLE HOSE         1           27         D4-032-49         OIL LINE         1           28         D4-032-24         BLOCK, emergency brake release S.N. 3100-600&P, 3100A-040&P         1           29         D4-010-52         O-RING, P-4         1           30         D4-032-24-1         BLOCK, emergency brake release S.N. 3100-600&R, 3100A-040&P         1           31         D6-010-52         O-RING, P-4         1           30         D4-032-25         HANDLE, emergency brake release         1           31         D6-010-30         BOLT, allen, M6x20         A/R           32         D4-032-46  | 17   | D4-031-23-1 | VALVE, relief, 5mm dia (steel)                              | 1    |
| 20       D4-032-58       OIL LINE, pump outlet, S.N.3100-1992-8-441&L       1         D4-031-22       OIL LINE, pump outlet, S.N.3100-1992-8-440&P       1         21       D4-032-52       OIL LINE       1         22       D4-032-51       FLEXIBLE TUBE       1         23       D4-032-50       OIL LINE       1         24       D4-032-47       OIL LINE       1         25       D4-032-48       FLEXIBLE HOSE       1         26       D4-032-49       OIL LINE       1         28       D4-032-49       OIL LINE       1         28       D4-032-24       BLOCK, emergency brake release S.N. 3100-600&P, 3100A-040&P       1         29       D4-010-52       O-RING, P-4       1         30       D4-032-25       HANDLE, emergency brake release       1.         31       D6-010-30       BOLT, allen, M6x20       A/R         32       D4-032-46       SPACER       1         33       D4-010-37       GASKET, oil filler       1         34       D4-010-38       FITTING, oil filler       1         35       D4-010-39       CAP, oil filler       1         36       D6-010-67       BOLT, allen, M5x15       4   | 18   | D4-031-23-2 | HOUSING, relief valve (5mm dia valve)                       | 1    |
| D4-031-22         OIL LINE, pump outlet, S.N.3100-1992-8-440&P         1           21         D4-032-52         OIL LINE         1           22         D4-032-51         FLEXIBLE TUBE         1           23         D4-032-50         OIL LINE         1           24         D4-032-47         OIL LINE         1           25         D4-032-48         FLEXIBLE HOSE         1           26         D4-032-49         OIL LINE         1           28         D4-032-24         BLOCK, emergency brake release S.N. 3100-600&P, 3100A-040&P         1           D4-032-24-1         BLOCK, emergency brake release S.N. 3100-601&L, 3100A-041&L         1           29         D4-010-52         O-RING, P-4         1           30         D4-032-25         HANDLE, emergency brake release         1           31         D6-010-30         BOLT, allen, M6x20         A/R           32         D4-032-46         SPACER         1           33         D4-010-37         GASKET, oil filler         1           34         D4-010-38         FITTING, oil filler         1           35         D4-010-39         CAP, oil filler         1           36         D6-010-67         BOLT, allen, M5x15  | 19   | D4-010-18   | CAP, blind, M6  | 1    |
| 21       D4-032-52       OIL LINE       1         22       D4-032-51       FLEXIBLE TUBE       1         23       D4-032-50       OIL LINE       1         24       D4-032-47       OIL LINE       1         25       D4-032-48       FLEXIBLE HOSE       1         26       D4-032-49       OIL LINE       1         28       D4-032-24       BLOCK, emergency brake release S.N. 3100-600&P, 3100A-040&P       1         29       D4-032-24-1       BLOCK, emergency brake release S.N. 3100-601&L, 3100A-041&L       1         29       D4-010-52       O-RING, P-4       1         30       D4-032-25       HANDLE, emergency brake release       1         31       D6-010-30       BOLT, allen, M6x20       A/R         32       D4-032-46       SPACER       1         33       D4-010-37       GASKET, oil filler       1         34       D4-010-38       FITTING, oil filler       1         35       D4-010-39       CAP, oil filler       1         36       D6-010-67       BOLT, allen, M5x15       4         37       D4-030-12       FITTING, hydraulic motor/oil tank 90°       2         38       D4-030-13       GASK   | 20   | D4-032-58   | OIL LINE, pump outlet, S.N.3100-1992-8-441&L                | 1    |
| 22       D4-032-51       FLEXIBLE TUBE       1         23       D4-032-50       OIL LINE       1         24       D4-032-47       OIL LINE       1         25       D4-032-48       FLEXIBLE HOSE       1         26       D4-032-49       OIL LINE       1         28       D4-032-24       BLOCK, emergency brake release S.N. 3100-600&P, 3100A-040&P       1         D4-032-24-1       BLOCK, emergency brake release S.N. 3100-601&L, 3100A-041&L       1         29       D4-010-52       O-RING, P-4       1         30       D4-032-25       HANDLE, emergency brake release       1         31       D6-010-30       BOLT, allen, M6x20       A/R         32       D4-032-46       SPACER       1         33       D4-010-37       GASKET, oil filler       1         34       D4-010-38       FITTING, oil filler       1         35       D4-010-39       CAP, oil filler       1         36       D6-010-67       BOLT, allen, M5x15       4         37       D4-030-12       FITTING, hydraulic motor/oil tank 90°       2         38       D4-030-03       OIL LINE, supply       1         39       D4-031-14       COVER, oil tan  |      | D4-031-22   | OIL LINE, pump outlet, S.N.3100-1992-8-440&P                | 1    |
| 23         D4-032-50         OIL LINE         1           24         D4-032-47         OIL LINE         1           25         D4-032-48         FLEXIBLE HOSE         1           26         D4-032-49         OIL LINE         1           28         D4-032-24         BLOCK, emergency brake release S.N. 3100-600&P, 3100A-040&P         1           D4-032-24-1         BLOCK, emergency brake release S.N. 3100-601&L, 3100A-041&L         1           29         D4-010-52         O-RING, P-4         1           30         D4-032-25         HANDLE, emergency brake release         1           31         D6-010-30         BOLT, allen, M6x20         A/R           32         D4-032-46         SPACER         1           33         D4-010-37         GASKET, oil filler         1           34         D4-010-38         FITTING, oil filler         1           35         D4-010-39         CAP, oil filler         1           36         D6-010-67         BOLT, allen, M5x15         4           37         D4-030-12         FITTING, hydraulic motor/oil tank 90°         2           38         D4-030-03         OIL LINE, supply         1           39         D4-031-14  | 21   | D4-032-52   | OIL LINE  | 1    |
| 24         D4-032-47         OIL LINE         1           25         D4-032-48         FLEXIBLE HOSE         1           26         D4-032-49         OIL LINE         1           28         D4-032-24         BLOCK, emergency brake release S.N. 3100-600&P, 3100A-040&P         1           D4-032-24-1         BLOCK, emergency brake release S.N. 3100-601&L, 3100A-041&L         1           29         D4-010-52         O-RING, P-4         1           30         D4-032-25         HANDLE, emergency brake release         1           31         D6-010-30         BOLT, allen, M6x20         A/R           32         D4-032-46         SPACER         1           33         D4-010-37         GASKET, oil filler         1           34         D4-010-38         FITTING, oil filler         1           35         D4-010-39         CAP, oil filler         1           36         D6-010-67         BOLT, allen, M5x15         4           37         D4-030-12         FITTING, hydraulic motor/oil tank 90°         2           38         D4-030-03         OIL LINE, supply         1           39         D4-031-13         GASKET, oil tank cover         1           41         D4-030-19 <td>22</td> <td>D4-032-51</td> <td>FLEXIBLE TUBE</td> <td> 1</td>  | 22   | D4-032-51   | FLEXIBLE TUBE   | 1    |
| 25         D4-032-48         FLEXIBLE HOSE         1           26         D4-032-49         OIL LINE         1           28         D4-032-24         BLOCK, emergency brake release S.N. 3100-600&P, 3100A-040&P         1           D4-032-24-1         BLOCK, emergency brake release S.N. 3100-601&L, 3100A-041&L         1           29         D4-010-52         O-RING, P-4         1           30         D4-032-25         HANDLE, emergency brake release         1           31         D6-010-30         BOLT, allen, M6x20         A/R           32         D4-032-46         SPACER         1           33         D4-010-37         GASKET, oil filler         1           34         D4-010-38         FITTING, oil filler         1           35         D4-010-39         CAP, oil filler         1           36         D6-010-67         BOLT, allen, M5x15         4           37         D4-030-12         FITTING, hydraulic motor/oil tank 90°         2           38         D4-030-03         OIL LINE, supply         1           39         D4-031-14         COVER, oil tank         1           40         D4-031-13         GASKET, oil tank cover         1           41         D4-030  | 23   | D4-032-50   | OIL LINE  | 1    |
| 26         D4-032-49         OIL LINE         1           28         D4-032-24         BLOCK, emergency brake release S.N. 3100-600&P, 3100A-040&P         1           D4-032-24-1         BLOCK, emergency brake release S.N. 3100-601&L, 3100A-041&L         1           29         D4-010-52         O-RING, P-4         1           30         D4-032-25         HANDLE, emergency brake release         1           31         D6-010-30         BOLT, allen, M6x20         A/R           32         D4-032-46         SPACER         1           33         D4-010-37         GASKET, oil filler         1           34         D4-010-37         GASKET, oil filler         1           35         D4-010-38         FITTING, oil filler         1           35         D4-010-39         CAP, oil filler         1           36         D6-010-67         BOLT, allen, M5x15         4           37         D4-030-12         FITTING, hydraulic motor/oil tank 90°         2           38         D4-030-03         OIL LINE, supply         1           39         D4-031-14         COVER, oil tank         1           40         D4-031-13         GASKET, oil tank cover         1           41         D  | 24   | D4-032-47   | OIL LINE  | 1    |
| 28         D4-032-24         BLOCK, emergency brake release S.N. 3100-600&P, 3100A-040&P         1           D4-032-24-1         BLOCK, emergency brake release S.N. 3100-601&L, 3100A-041&L         1           29         D4-010-52         O-RING, P-4         1           30         D4-032-25         HANDLE, emergency brake release         1           31         D6-010-30         BOLT, allen, M6x20         A/R           32         D4-032-46         SPACER         1           33         D4-010-37         GASKET, oil filler         1           34         D4-010-38         FITTING, oil filler         1           35         D4-010-39         CAP, oil filler         1           36         D6-010-67         BOLT, allen, M5x15         4           37         D4-030-12         FITTING, hydraulic motor/oil tank 90°         2           38         D4-030-03         OIL LINE, supply         1           39         D4-031-14         COVER, oil tank         1           40         D4-031-13         GASKET, oil tank cover         1           41         D4-030-19         TUBE, induction         1           42         D4-031-11         STRAINER, oil         1           43 <td< td=""><td>25</td><td>D4-032-48</td><td>FLEXIBLE HOSE</td><td> 1</td></td<>  | 25   | D4-032-48   | FLEXIBLE HOSE   | 1    |
| D4-032-24-1       BLOCK, emergency brake release S.N. 3100-601&L, 3100A-041&L       1         29       D4-010-52       O-RING, P-4       1         30       D4-032-25       HANDLE, emergency brake release       1         31       D6-010-30       BOLT, allen, M6x20       A/R         32       D4-032-46       SPACER       1         33       D4-010-37       GASKET, oil filler       1         34       D4-010-38       FITTING, oil filler       1         35       D4-010-39       CAP, oil filler       1         36       D6-010-67       BOLT, allen, M5x15       4         37       D4-030-12       FITTING, hydraulic motor/oil tank 90°       2         38       D4-030-03       Oil LINE, supply       1         39       D4-031-14       COVER, oil tank       1         40       D4-031-13       GASKET, oil tank cover       1         41       D4-030-19       TUBE, induction       1         42       D4-031-11       STRAINER, oil       1         43       D6-010-30       BOLT, allen, M6x20       3  | 26   | D4-032-49   |   |      |
| 29       D4-010-52       O-RING, P-4       1         30       D4-032-25       HANDLE, emergency brake release       1         31       D6-010-30       BOLT, allen, M6x20       A/R         32       D4-032-46       SPACER       1         33       D4-010-37       GASKET, oil filler       1         34       D4-010-38       FITTING, oil filler       1         35       D4-010-39       CAP, oil filler       1         36       D6-010-67       BOLT, allen, M5x15       4         37       D4-030-12       FITTING, hydraulic motor/oil tank 90°       2         38       D4-030-03       OIL LINE, supply       1         39       D4-031-14       COVER, oil tank       1         40       D4-031-13       GASKET, oil tank cover       1         41       D4-030-19       TUBE, induction       1         42       D4-031-11       STRAINER, oil       1         43       D6-010-30       BOLT, allen, M6x20       3  | 28   | D4-032-24   | BLOCK, emergency brake release S.N. 3100-600&P, 3100A-040&P | 1    |
| 30       D4-032-25       HANDLE, emergency brake release       1         31       D6-010-30       BOLT, allen, M6x20       A/R         32       D4-032-46       SPACER       1         33       D4-010-37       GASKET, oil filler       1         34       D4-010-38       FITTING, oil filler       1         35       D4-010-39       CAP, oil filler       1         36       D6-010-67       BOLT, allen, M5x15       4         37       D4-030-12       FITTING, hydraulic motor/oil tank 90°       2         38       D4-030-03       OIL LINE, supply       1         39       D4-031-14       COVER, oil tank       1         40       D4-031-13       GASKET, oil tank cover       1         41       D4-030-19       TUBE, induction       1         42       D4-031-11       STRAINER, oil       1         43       D6-010-30       BOLT, allen, M6x20       3   |      | D4-032-24-1 | BLOCK, emergency brake release S.N. 3100-601&L, 3100A-041&L | 1    |
| 31       D6-010-30       BOLT, allen, M6x20       A/R         32       D4-032-46       SPACER       1         33       D4-010-37       GASKET, oil filler       1         34       D4-010-38       FITTING, oil filler       1         35       D4-010-39       CAP, oil filler       1         36       D6-010-67       BOLT, allen, M5x15       4         37       D4-030-12       FITTING, hydraulic motor/oil tank 90°       2         38       D4-030-03       OIL LINE, supply       1         39       D4-031-14       COVER, oil tank       1         40       D4-031-13       GASKET, oil tank cover       1         41       D4-030-19       TUBE, induction       1         42       D4-031-11       STRAINER, oil       1         43       D6-010-30       BOLT, allen, M6x20       3  | 29   | D4-010-52   | O-RING, P-4   | 1    |
| 32       D4-032-46       SPACER       1         33       D4-010-37       GASKET, oil filler       1         34       D4-010-38       FITTING, oil filler       1         35       D4-010-39       CAP, oil filler       1         36       D6-010-67       BOLT, allen, M5x15       4         37       D4-030-12       FITTING, hydraulic motor/oil tank 90°       2         38       D4-030-03       OIL LINE, supply       1         39       D4-031-14       COVER, oil tank       1         40       D4-031-13       GASKET, oil tank cover       1         41       D4-030-19       TUBE, induction       1         42       D4-031-11       STRAINER, oil       1         43       D6-010-30       BOLT, allen, M6x20       3  | 30   | D4-032-25   | HANDLE, emergency brake release                             | 1    |
| 33       D4-010-37       GASKET, oil filler       1         34       D4-010-38       FITTING, oil filler       1         35       D4-010-39       CAP, oil filler       1         36       D6-010-67       BOLT, allen, M5x15       4         37       D4-030-12       FITTING, hydraulic motor/oil tank 90°       2         38       D4-030-03       OIL LINE, supply       1         39       D4-031-14       COVER, oil tank       1         40       D4-031-13       GASKET, oil tank cover       1         41       D4-030-19       TUBE, induction       1         42       D4-031-11       STRAINER, oil       1         43       D6-010-30       BOLT, allen, M6x20       3  | 31   | D6-010-30   | BOLT, allen, M6x20  | A/R  |
| 34       D4-010-38       FITTING, oil filler       1         35       D4-010-39       CAP, oil filler       1         36       D6-010-67       BOLT, allen, M5x15       4         37       D4-030-12       FITTING, hydraulic motor/oil tank 90°       2         38       D4-030-03       OIL LINE, supply       1         39       D4-031-14       COVER, oil tank       1         40       D4-031-13       GASKET, oil tank cover       1         41       D4-030-19       TUBE, induction       1         42       D4-031-11       STRAINER, oil       1         43       D6-010-30       BOLT, allen, M6x20       3  | 32   | D4-032-46   | SPACER  | 1    |
| 35       D4-010-39       CAP, oil filler       1         36       D6-010-67       BOLT, allen, M5x15       4         37       D4-030-12       FITTING, hydraulic motor/oil tank 90°       2         38       D4-030-03       OIL LINE, supply       1         39       D4-031-14       COVER, oil tank       1         40       D4-031-13       GASKET, oil tank cover       1         41       D4-030-19       TUBE, induction       1         42       D4-031-11       STRAINER, oil       1         43       D6-010-30       BOLT, allen, M6x20       3   | 33   | D4-010-37   | GASKET, oil filler  | 1    |
| 36       D6-010-67       BOLT, allen, M5x15       4         37       D4-030-12       FITTING, hydraulic motor/oil tank 90°       2         38       D4-030-03       OIL LINE, supply       1         39       D4-031-14       COVER, oil tank       1         40       D4-031-13       GASKET, oil tank cover       1         41       D4-030-19       TUBE, induction       1         42       D4-031-11       STRAINER, oil       1         43       D6-010-30       BOLT, allen, M6x20       3  | 34   | D4-010-38   | *   |      |
| 37       D4-030-12       FITTING, hydraulic motor/oil tank 90°       2         38       D4-030-03       OIL LINE, supply       1         39       D4-031-14       COVER, oil tank       1         40       D4-031-13       GASKET, oil tank cover       1         41       D4-030-19       TUBE, induction       1         42       D4-031-11       STRAINER, oil       1         43       D6-010-30       BOLT, allen, M6x20       3  | 35   | D4-010-39   |   |      |
| 38       D4-030-03       OIL LINE, supply       1         39       D4-031-14       COVER, oil tank       1         40       D4-031-13       GASKET, oil tank cover       1         41       D4-030-19       TUBE, induction       1         42       D4-031-11       STRAINER, oil       1         43       D6-010-30       BOLT, allen, M6x20       3   | 36   | D6-010-67   |   |      |
| 39       D4-031-14       COVER, oil tank       1         40       D4-031-13       GASKET, oil tank cover       1         41       D4-030-19       TUBE, induction       1         42       D4-031-11       STRAINER, oil       1         43       D6-010-30       BOLT, allen, M6x20       3   |      |             |   |      |
| 40       D4-031-13       GASKET, oil tank cover       1         41       D4-030-19       TUBE, induction       1         42       D4-031-11       STRAINER, oil       1         43       D6-010-30       BOLT, allen, M6x20       3  |      |             |   |      |
| 41       D4-030-19       TUBE, induction       1         42       D4-031-11       STRAINER, oil       1         43       D6-010-30       BOLT, allen, M6x20       3  |      |             | COVER, oil tank   | 1    |
| 42       D4-031-11       STRAINER, oil       1         43       D6-010-30       BOLT, allen, M6x20       3   |      |             |   |      |
| 43 D6-010-30 BOLT, allen, M6x20  |      |             |   |      |
|  |      |             |   |      |
| 44 D6-031-15 WASHER, flat, M6  |      |             |   |      |
|  | 44   | D6-031-15   | WASHER, flat, M6  | 3    |




| Item | Part No.    | Description   | Qty.     |
|------|-------------|---|----------|
| 45   | D1-031-12   | BUSHING, isolation  | 6        |
| 46   | D4-032-56   | PLATE, oil tank receiving, S.N.3100-1992-8-441&L                      | 1        |
|      | D1-031-13   | PLATE, oil tank receiving, S.N.3100-1992-8-440&P                      | 1        |
| 47   | D4-032-55   | RESERVOIR, oil tank, S.N.3100-1992-8-441&L                            | 1        |
|      | D4-031-10   | RESERVOIR, oil tank, S.N.3100-1992-8-440&P                            | 1        |
| 48   | D6-010-51   | BOLT, allen, M6x10  | 2        |
| 49   | D6-010-40   | WASHER, lock, M6  | 2        |
| 50   | D4-010-52   | O-RING, P-4   | A/R      |
| 51   | D4-031-21   | ELECTRO/MINI-VALVE ASSEMBLY (3-way), 120VAC (elevation)               |          |
|      | D4-032-92   | ELECTRO/MINI-VALVE ASSEMBLY (3-way), 120VAC (brake)                   | A/R      |
| 52   | D4-030-02   | ELECTRO/MINI-VALVE ASSEMBLY (4-way), 120VAC                           | A/R      |
| 53   | D6-010-65   | •BOLT, allen, M5x35   | 2        |
| 54   | D4-010-41   | •PLUG, cap  | 2        |
| 55   | D4-010-42   | •SPRING, return   | 2        |
| 56   | D4-010-25   | •VALVE, non-return  | 2        |
| 57   | D4-010-43   | VALVE BLOCK, 4-way  | 6        |
|      | D4-020-23   | •VALVE BLOCK, 3-way   | 2        |
| 58   | D4-010-20   | •O-RING, P-3  | 2        |
| 59   | D4-010-44   | VALVE, needle, speed control  | 2        |
| 60   | D4-010-19   | •O-RING, P-6  | 2        |
| 61   | D4-010-01   | •O-RING, P-8  | 2        |
| 62   | D4-010-51   | •O-RING, P-16   | 2        |
| 63   | D4-010-14   | •O-RING, P-12   | 2        |
| 64   | D5-030-34   | •SOLENOID, 120VAC   | 2        |
| 65   | D6-010-79   | •SCREW, phillips hd., M3x5  | 8        |
| 66   | D6-010-78   | •WASHER, lock, M3   | 8        |
| 67   | D4-010-40   | CAP, end  | 1        |
| 68   | D4-031-19   | STUD  | 2        |
| 69   | D6-010-77   | WASHER, lock, M5  | 4        |
| 70   | D6-010-76   | NUT, M5   | 4        |
| 71   | D4-035-37   | CYLINDER ASSEMBLY, brake, S.N.3100-602&L, 3100A-011&L                 | 1        |
|      | D4-031-60   | CYLINDER ASSEMBLY, brake, single action, S.N.3100-274 to -601, 3100A- | ·010&P 1 |
|      | D6-031-50   | BRAKE CYLINDER REBUILD KIT  | A/R      |
| 72   | D4-031-47   | •O-RING, G-35   | 1        |
| 73   | D4-010-02   | •O-RING, P-14   | 1        |
| 74   | D4-031-66   | •SCRAPER, piston  | 1        |
| 75   | D6-031-25   | •BOLT, allen, M5x65   | 2        |
| 76   | D4-031-48-1 | COVER, ram  | 4        |
| 77   | D6-031-26   | BOLT, allen, M6x95  | 16       |
| 78   | D4-031-95-1 | SEAT, brake rubber  | 4        |
| 79   | D4-031-96   | PAD, brake, self-leveling, hard                                       | 2        |
|      | D4-031-97   | PAD, brake, self-leveling, soft                                       | 2        |
| 80   | D6-010-36   | WASHER  | 4        |
| 81   | D6-010-30   | BOLT, allen, M6x20  | 4        |
| 82   | D6-032-41   | SCREW, set  | 1        |
| 83   | D6-010-41   | NUT, M6   | 2        |
| 84   | D6-010-40   | WASHER, M6  | 1        |



| Item | Part No.    | Description   | Qty. |
|------|-------------|---|------|
| 1    | D4-031-24   | CYLINDER ASSEMBLY, rear brake, S.N.3100-1986-023 to -046  | 1    |
|      | D6-031-48   | BRAKE CYLINDER REBUILD KIT                                |      |
| 2    | D6-010-69   | BOLT, allen, M8x85  | 4    |
| 3    | D1-010-26   | PLATE, brake seat   | 1    |
| 4    | D1-010-12   | PAD, brake rubber   | 4    |
| 5    | D6-010-36   | WASHER, brake rubber                                      | 4    |
| 6    | D6-010-30   | BOLT, allen, M6x20  | 4    |
| 7    | D4-031-25   | CYLINDER ASSEMBLY, front brake, S.N.3100-1986-023 to -046 | 2    |
|      | D6-031-48   | BRAKE CYLINDER REBUILD KIT                                | A/R  |
| 8    | D4-010-09   | •O-RING, G-50   | 4    |
| 9    | D6-010-53   | •BOLT, allen, M8x20                                       | 2    |
| 10   | D4-010-54   | •O-RING, P-34   | 2    |
| 11   | D4-010-56   | •O-RING, P-10A  | 2    |
| 12   | D4-031-27   | •RAM, front brake cylinder                                | 2    |
| 13   | D4-031-28   | •STOP, piston   | 2    |
| 14   | D4-031-29   | •SEAL RING, PS-25   | 2    |
| 15   | D4-031-30   | •SCRAPER, SER-25  | 2    |
| 16   | D6-010-66   | •BOLT, allen, M6x65                                       | 4    |
| 17   | D4-010-95   | SEAT, brake rubber  | 2    |
| 18   | D6-031-18   | BOLT, allen, M8x90  | 8    |
| 19   | D4-010-29   | FITTING, hydraulic, 90° elbow                             | 4    |
| 20   | D4-060-56   | HOSE, flexible (right front brake, ram)                   | 1    |
|      | D4-060-57   | HOSE, flexible (left front brake, ram)                    | 1    |
| 21   | D4-060-58   | HOSE, flexible (right front brake, piston)                | 1    |
|      | D4-060-59   | HOSE, flexible (left front brake, piston)                 | 1    |
| 22   | D4-010-30   | FITTING, hydraulic, 45° elbow                             | 2    |
| 23   | D4-060-60   | HOSE, flexible (rear brake cylinder)                      | 2    |
|      | D4-060-61   | HOSE, flexible (left rear brake) - 4 brake system         | 2    |
|      | D4-060-62   | HOSE, flexible (right rear brake) - 4 brake system        | 2    |
|      | D6-031-49   | BRAKE CYLINDER REBUILD KIT                                | A/R  |
| 24   | D4-031-34-1 | CYLINDER ASSEMBLY, brake, dual action - 4 brake system,   |      |
|      |             | S.N.3100-1986-1-074 to S.N.3100-1989-11-273               | 4    |
| 25   | D4-031-47   | •O-RING, G-35   | 2    |
| 26   | D6-010-17   | •BOLT, allen, M8x15                                       | 1    |
| 27   | D4-010-56   | •O-RING, P-10A  | 1    |
| 28   | D4-010-12   | •O-RING, P-24   |      |
| 28A  | D4-031-34-2 | •RAM, brake cylinder, for D4-031-34-1                     | 1    |
| 29   | D4-031-45   | •SEAL RING, PS-20   |      |
| 30   | D4-031-46   | •SCRAPER, SER-20  | 1    |
| 31   | D4-031-48   | •COVER, ram   | 1    |
| 32   | D6-031-20   | •BOLT, allen, M6x85                                       |      |
| 33   | D6-031-22   | •BOLT, allen, M5x55                                       |      |
| 34   | D4-031-32   | ADJUSTABLE FOOT, brake cylinder                           |      |
|      | D4-031-95-1 | SEAT, brake rubber  |      |
| 35   | D4-031-56   | PAD, brake cylinder adjustable foot                       |      |
|      | D4-031-96   | PAD, brake, self-leveling, hard                           |      |
|      | D4-031-97   | PAD, brake, self-leveling, soft                           | 2    |



| Item             | Part No.               | Description   | Qty. |
|------------------|------------------------|---|------|
| 1                | D1-031-36              | COVER, service access, S.N.3100N-1995-9-602&L, 3100A-1995-9-011&L |      |
|                  | D1-032-07              | COVER, service access, S.N.3100-1992-8-441 to 601, 3100A-010&P    | 1    |
|                  | D1-070-03              | COVER, service access, S.N.3100- to S.N.3100-1992-8-440           | 1    |
|                  | D1-060-14              | COVER, service access, S.N.3100- &P                               | 1    |
| 2                | D6-050-37              | SCREW, phillips hd., M4x8   | 4    |
|                  | D6-010-98-1            | BOLT, allen, M8x60, plated  | 4    |
| 3                | D1-031-37              | FRAME, S.N.3100N-1995-9-602&L, 3100A-1995-9-011&L                 |      |
|                  | D1-032-09              | FRAME, S.N.3100-1992-8-441 to 601, 3100A-010&P                    |      |
|                  | D1-032-03              | FRAME   |      |
| 4                | D1-032-10              | GASKET, S.N.3100-1992-8-441&L                                     | 1    |
|                  | D1-032-04              | GASKET  |      |
| 5                | D1-060-17              | HOUSING, base, S.N.3100-1992-8-441&L                              | 1    |
| 6                | D6-010-67              | BOLT, allen, M5x15  |      |
| 7                | D6-010-51              | BOLT, allen, M6x10  |      |
| 8                | D1-032-12              | PLATE, fuse cover   | 1    |
| 9                | D6-032-08              | SCREW, M4x6, black  |      |
| 10               | D1-070-02              | BALANCE WEIGHT  |      |
| 11               | D1-032-27              | BALANCE WEIGHT  | 1    |
| 12               | D6-070-18              | BOLT, allen, M8x115   | 1    |
| 13               | D6-070-17              | RETAINER, balance weight  |      |
| 14               | D6-010-97              | BOLT, allen, M8x50  |      |
| 15               | D1-010-30              | CASTER, 105HB-P   |      |
| 16               | D6-010-96              | BOLT, allen, M10X20   |      |
| 17               | D6-010-16              | SCREW, phillips hd., M5x6   |      |
| 18               | D6-032-06              | BOLT, allen, M4x20  |      |
| 19               | D5-032-37              | RETAINER, power cord  |      |
| 20               | D6-010-30              | BOLT, allen, M6x20  |      |
| 21               | D6-010-41              | NUT, M6   |      |
| 22               | D5-032-55              | SWITCH, main power  |      |
| 23               | D6-010-51              | BOLT, allen, M6x10  |      |
| 24               | D6-010-40              | WASHER, lock, M6  |      |
| 25               | D5-032-52-3            | BRACKET, On/Off switch  |      |
| 26               | D6-032-09              | BOLT, allen, M5x50  |      |
| 27               | D6-032-12              | SPRING (#89)  |      |
| 28               | D5-032-53-1            | SWITCH PEDAL, On/Off switch                                       |      |
| 29               | D5-032-54              | COVER, switch pedal   |      |
| 30               | D6-010-59              | NUT, M4   |      |
| 31               | D6-032-06              | BOLT, allen, M4x20  |      |
| 32               | D6-010-76              | NUT, M5   |      |
| 33               | D1-030-15              | FUSE HOLDER   |      |
| 33               | D5-032-74              | FUSE HOLDER, 250V, 15A (9/97&L)                                   |      |
| 34               | D5-032-74              | FUSE, 10A   |      |
| 35               | D5-032-41              | POWER CORD ASSEMBLY   |      |
| 36               | D5-032-35              | STRAIN RELIEF   |      |
| 36<br>37         | D6-031-05              | SCREW, phillips hd., M4x10 (plated)                               |      |
| 3 <i>1</i><br>38 | D6-031-05<br>D1-031-24 |   |      |
|                  |                        | PLATE, fuse cover FUSE HOLDER                                     |      |
| 39               | D1-030-15              | FUSE HOLDER   | 1    |



| Item | Part No.  | Description                         | Qty. |
|------|-----------|-------------------------------------|------|
| 40   | DE 000 40 | FUOE O                              | 4    |
| 40   | D5-030-10 | FUSE, 8 amp                         |      |
| 41   | D6-010-67 | BOLT, allen, M5x15                  | 2    |
| 42   | D5-031-27 | GROMMET, strain relief              | 1    |
| 43   | D5-030-01 | POWER CORD                          | 1    |
| 44   | D1-031-29 | PLATE, fuse holder mount            | 1    |
| 45   | D1-031-30 | COVER, rubber, electrical enclosure | 1    |
| 46   | D6-050-37 | SCREW, phillips hd., M4x8           | 6    |
| 47   | D1-031-33 | COVER, electrical enclosure, bottom | 1    |
| 48   | D6-010-70 | BOLT, allen, M5x10                  | 2    |
| 49   | D5-030-19 | SWITCH, main power                  | 1    |
| 50   | D1-031-32 | PLATE, switch mounting              | 1    |
| 51   | D5-031-28 | HEAD, power switch                  | 1    |
| 52   | D1-031-31 | ENCLOSURE, electrical               | 1    |
| 53   | D6-010-77 | WASHER, lock, M5                    | 4    |
| 54   | D6-010-37 | BOLT, allen, M5x20                  | 4    |

### Page 32

#### 9. SPECIAL TOOLS & MAINTENANCE ITEMS

| Item | Part No.  | Description                | Qty.    |
|------|-----------|----------------------------|---------|
|      | D6-050-02 | GAUGE, oil pressure        | A/R     |
|      | D6-010-09 | GREASE, slider             | 2.8 oz. |
|      | D6-010-90 | OIL, hydraulic             | Qt.     |
|      | D6-031-50 | BRAKE CYLINDER REBUILD KIT | A/R     |
|      | D6-031-48 | BRAKE CYLINDER REBUILD KIT | A/R     |
|      | D6-031-49 | BRAKE CYLINDER REBUILD KIT | A/R     |

